Hypertension

An Official Journal of the American Heart Association

INDEX TO VOLUME 9

JANUARY-JUNE 1987

and

Genetic Rat Models for Hypertension: Guidelines for Breeding, Care, and Use
Volume 9, Number 1, January 1987
Supplement I

and

Hypertension Research: Echocardiography in the Measurement of Left Ventricular Wall Mass
Part 2, Volume 9, Number 2, February 1987
Supplement II

and

Proceedings of the Council for High Blood Pressure Research, 1986
Part 2, Volume 9, Number 6, June 1987
Supplement III

Hypertension

An Official Journal of the American Heart Association

INDEX TO VOLUME 9

JANUARY-JUNE 1987

and

Genetic Rat Models for Hypertension: Guidelines for Breeding, Care, and Use
Volume 9, Number 1, January 1987
Supplement I

and

Hypertension Research: Echocardiography in the Measurement of Left Ventricular Wall Mass
Part 2, Volume 9, Number 2, February 1987
Supplement II

and

Proceedings of the Council for High Blood Pressure Research, 1986
Part 2, Volume 9, Number 6, June 1987
Supplement III

Index to Volume 9

HYPERTENSION JANUARY-JUNE 1987

AUTHOR INDEX

Key to abbreviations: A = abstract; BR = brief review; CR = case report; E = editorial; L = letter; RC = rapid communication. Roman numerals preceding page numbers indicate articles published in supplements.

A

Aalkjær C, III-155
Abboud FM, III-137
Acosta-Barrios TN, 526 (A-16)
Adriolo A, 543 (A-81)
Aksamit TR, 309 (CR)
Alaghband-Zadeh J, 498
Albers M, 541 (A-73)
Alcaíno E, 529 (A-26)
Alcazar JM, 524 (A-6), 530 (A-29)
Alderman MH, II-53
Alexander RW, III-181
Ali Mere Y Jr, 538 (A-63)
Allen AM, III-198
Almeida EF, 540 (A-69)
Almeida FA, 523 (A-3)
Almeida JB, 542 (A-78), 542 (A-79), 542 (A-80)
Alonso CEI, 525 (A-12)
Alonso DR, II-69
Alvarado JA, 531 (A-33), 537 (A-58)
Alzamora F, 536 (A-55)
Amorim MPSG, 542 (A-78), 542 (A-79), 542 (A-80)
Anderson EA, III-114
Anderson SJ, II-40
Ando K, 81
Andreatta SH, 534 (A-47)
Angchanpen P, 559 (A-148)
Angelakos ET, III-57
Angus JA, 122
Arai H, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Arakawa K, 245
Aristegui PM, 530 (A-30)
Armando I, 556 (A-135)
Armentano R, 524 (A-5)
Arosio E, 230
Arranz CT, 530 (A-32)
Avendaño M, 529 (A-26)
Averill DB, 534 (A-47)
Aylward PE, 309 (CR)

B

Bachier C, 533 (A-42)
Baer PG, 253
Baglivo HP, 549 (A-105)
Bailey I, III-155
Bain RP, 390
Baker JL, III-69
Baker P, 204
Balaszczuk AM, 530 (A-32)
Ban T, 544 (A-88)
Banerjee SP, 467
Baranowska B, 545 (A-90)
Barber BR, I-30
Barchowsky A, 619
Barnes KL, 535 (A-51)
Barontini M, 556 (A-134), 556 (A-135)
Barra J, 524 (A-5)
Bass M, 204
Bassenge E, 295, 350
Basso N, 542 (A-77), 555 (A-132), 557 (A-139)
Baxter JD, 103
Bean BL, 571
Beauchamp GK, 547 (A-100)
Beck T, 530 (A-29), 553 (A-124)
Becú L, 554 (A-128), 555 (A-129), 555 (A-130)
Bedran-de-Castro MT, 541 (A-76)
Bell T, 49
Bellotti G, 537 (A-60), 538 (A-61)
Beltramini-Sabbag LM, 539 (A-67)
Bendhack LM, 543 (A-83), 549 (A-107)
Benetos A, 529 (A-28), III-147
Ben-Ishay D, I-24
Berecek KH, 527 (A-19), 527 (A-20), III-110
Berenson GS, 236
Berger A, 548 (A-103)
Berger ME, III-96
Berk BC, III-181
Berman DM, 525 (A-12)
Berman MA, 437
Bernardes Silva H, 537 (A-60)
Berrios-Cabán G, 532 (A-40), 533 (A-41), 533 (A-43)
Bertino M, 547 (A-100)
Bessa AM, 542 (A-78), 542 (A-79), 542 (A-80)
Bhalla RC, 549 (A-107)
Bianchi C, 547 (A-98)
Bianchi G, 498, I-30
Bianchi JM, 526 (A-13)
Bindels RJM, 96
Bing RF, 13
Birkenhäger WH, III-210
Blackshear JL, 384
Blaine EH, 150
Blair ML, 332, III-206
Blanchard G, 49
Bobadilla NA, 531 (A-33), 537 (A-58)
Boerwinkle E, 24
Boger J, 150
Bohlen HG, 59, 325
Bohr DF, 492, 552 (A-120)
Bolli P, III-69
Bonadonna G, 230
Bonagamba LGH, 540 (A-72)
Boomsma F, 98, 521
Borer JS, II-53
Borić MP, 529 (A-25)
Bossolan D, 531 (A-34)
Botey A, 531 (A-35)
Boylan JW, 282
Branch RA, 513
Bravo EL, 550 (A-111), 550 (A-112), III-166, III-176
Brennaman B, III-91
Brewer DD, II-61, II-90
Brody MJ, 554 (A-126), 554 (A-127)
Brody T, III-36
Broglia CA, 532 (A-39)
Brooks DP, 172
Brosnihan KB, 533 (A-44), 534 (A-45), 535 (A-49), 535 (A-50)
Brown D, III-171
Brownfield MS, 598
Bruner CA, 355
Brunnert SR, 485
Buck C, 204
Buckley J, 554 (A-125)
Buhler FR, III-69
Buja LM, 525 (A-11)
Bumpus FM, 523 (A-1)
Burkart F, III-69
Burke GL, 236
Burrieza H, 549 (A-105)
Burton J, 529 (A-28)
Busse R, 295
Buu NT, 76, 527 (A-17), 527 (A-18)

C

Cabán GB, 304
Cabral AM, 546 (A-93), 556 (A-136)
Cabral AMS, 540 (A-70)

Cabrera E, 524 (A-5)
Cagen LM, 253
Caldo H, 539 (A-66)
Calleja C, 531 (A-33)
Campagnole-Santos MJ, 534 (A-47), 534 (A-48), 536 (A-54)
Campo E, II-69
Cangiano JL, 304, 532 (A-38), 532 (A-40), 533 (A-41), 533 (A-42), 533 (A-43)
Cannata MA, 542 (A-77), 557 (A-140), 558 (A-141)
Cantin M, 88, 144, 524 (A-7), 524 (A-8), 527 (A-17), 545 (A-89), 545 (A-90), 547 (A-98)
Capdeville RC, 536 (A-54)
Carbonell LF, 549 (A-108)
Cardini JF, 536 (A-55)
Carey RM, 553 (A-124)
Carretero OA, 549 (A-108), 550 (A-109), 550 (A-110)
Carrier F, 524 (A-8)
Casadei R, 209
Casale PN, II-69
Casarini D, 542 (A-78), 542 (A-79)
Cases A, 531 (A-35)
Castelli WP, II-40
Casto R, 473
Castren E, 560 (A-150), 560 (A-151)
Castro AL, 540 (A-69)
Castro JL, 548 (A-104)
Cavaleiro AMS, 539 (A-65)
Cermeño JL, 537 (A-58)
Cezareti ML, 542 (A-78), 542 (A-79), 542 (A-80)
Chacón C, 531 (A-36), 532 (A-37)
Chacra AR, 543 (A-81)
Chai S-Y, III-198
Chalew SA, 437
Chang PC, 647
Chapleau MW, III-137
Chappell MC, 534 (A-45)
Chatelain RE, 552 (A-118)
Chelly JE, 554 (A-125)
Chen PCY, 164
Cherchi A, 35
Chernicky CL, 533 (A-44)
Cheung WY, 217 (BR)
Chien S, II-53
Chobanian AV, III-106
Christensen CM, 547 (A-99)
Churchill L, III-1
Clegg MS, 624
Clevers J, III-198
Coleman TG, 611
Collado F, 523 (A-2)
Connelly PA, 188
Connor MJ, 398
Connors BA, 59
Cooper RS, 224
Copello J, 558 (A-144), 559 (A-147)
Cornejo JC, 532 (A-39)
Cornman C, 547 (A-97)
Corradini P, 230
Correa FMA, 560 (A-150)
Coshatt G, 527 (A-19)
Covi G, 230
Coviello A, 525 (A-12), 526 (A-13)
Cowley AW Jr, 407, 423
Cox BF, 554 (A-127)
Cragoe EJ Jr, 525 (A-10)
Crofton JT, 172
Croxatto H, 532 (A-37)
Croxatto HR, 528 (A-22)
Cruz-Coke R, 525 (A-9)
Cumsille F, 546 (A-95)
Currie MG, 485
Czerska B, III-176

D

Daniel EE, 559 (A-146)
Dardik BN, 552 (A-118)
Data JL, 619
Davidson WR Jr, 467
Day ML, 485
Debinski W, 527 (A-17), 527 (A-18)
de Bold AJ, 525 (A-12)
de Bos, R, III-210
de Champlain J, 546 (A-96)
Degrossi O, 523 (A-4)
de Jong W, I-34
DeLano FA, 164
de la Riva IJ, 553 (A-123), 555 (A-131)
de Leeuw PW, III-210
De Lima JJG, 538 (A-61)
DeLong E, 444
DeQuattro V, 549 (A-106)
Deray G, 513
Deremer S, III-64
Derkx FHM, 198, 521
Deschepper CF, 103
de Togni P, 230
Devereux RB, II-2, II-6, II-19, II-53, II-69, II-97
Devine CS, 607
de Wardener H, 498
DeWitt LM, 217 (BR)
Dianzumba SB, 547 (A-97)
Diaz A, 532 (A-40)
Diaz Puertas de Grosse CS, 526 (A-13)
DiBona GF, 41, 69
DiPette DJ, 547 (A-97), III-142
Diz DI, 534 (A-48), 535 (A-51)
D'Occhio MA, 282
Donner A, 204
Dopico AM, 523 (A-4)
Dorhout Mees EJ, 451
Douglas JG, III-49
Doursout M-F, 554 (A-125)
Draibe SA, 542 (A-80)
Drayer JIM, II-61, II-90
Durán WD, 529 (A-25)
Duzzi L, I-30
Dzau VJ, III-36

E

ECG Committee of the IPPPSH, III-69
Egan BM, 459
Eggena P, III-31
Eguchi T, 550 (A-112)
Elias MF, 192
Elias PK, 192
Ellison KE, III-36
Enero MA, 530 (A-30), 545 (A-92), 548 (A-102), 548 (A-104)
Engel CR, III-13
Engelman K, 547 (A-99)
Erdös EG, 525 (A-11)
Esper RJ, 549 (A-105)
Estape E, 533 (A-43)
Estopiñan V, 524 (A-6)
Eto T, 552 (A-117)
Evan AP, 59
Eyster G, 49

F

Fábregues G, 549 (A-105)
Faraci FM, III-101
Fardella C, 529 (A-27)
Fatigati V, III-25
Fedder DO, 420 (L)
Feig PU, 282
Feinleib M, II-40
Fernandez Cruz A, 536 (A-56), 537 (A-57)
Fernandez-Pinilla C, 536 (A-56), 537 (A-57)
Ferrari P, 498, I-30
Ferrario CM, 533 (A-44), 534 (A-45), 534 (A-46), 534 (A-47), 534 (A-48), 535 (A-49), 535 (A-50), 535 (A-51), III-176
Ferrell F, 624
Ferrer CI, 532 (A-39)
Feuerstein G, 561 (BR)
Feussner JR, 444
Figueroa CD, 528 (A-23)
Fink GD, 355, III-206
Fitzpatrick MA, 459
Floras JS, 309 (CR)
Fontán M, 558 (A-142), 558 (A-143)
Forte G, 523 (A-2)
Fouad FM, 550 (A-111)
Fouad-Tarazi FM, 535 (A-52), 536 (A-53), II-65, III-176
Franco EB, 530 (A-32)
Freedman DS, 236
Freeman RH, 345
Frimm CC, 537 (A-60), 541 (A-73)
Frohlich ED, 553 (A-122), II-77, III-75
Fujihara CK, 539 (A-65)
Fujita K, 544 (A-85)
Fujita T, 81
Fukiyama K, 552 (A-117)
Furtado MR, 538 (A-63), 538 (A-64)
Furtado RF, 539 (A-67)

G

Gabbai FB, 531 (A-33), 537 (A-58)
Gadgil UG, 18
Gallo A, 558 (A-142), 558 (A-143)
Gamboa R, 548 (A-101)
Gamundi SS, 525 (A-12)
Ganten D, 545 (A-91), I-2, I-37
Ganz P, III-181
Garcia R, 88, 524 (A-7), 524 (A-8), 547 (A-98), II-90, 144
García Robles R, 524 (A-6), 530 (A-29)
Gardin JM, II-36, II-61, II-90
Gardner DG, 103
Garnic D, 384
Garrison RJ, II-40
Gauquelin G, 524 (A-8)
Gavras H, 529 (A-28), 557 (A-137), 557 (A-138), III-147
Gavras I, 557 (A-138), III-147
Gaya J, 531 (A-35)
Geboers J, 654
Genest J, 527 (A-17), 545 (A-89), 545 (A-90), 547 (A-98)
Gerbase-De Lima M, 538 (A-61)
Gessa GL, 35
Geyskes GG, 451
Gianella-Neto D, 539 (A-65)
Gibson TP, 530 (A-31)
Gifford RW, 550 (A-111)
Gimbrone MA Jr, III-181
Giménez M, 555 (A-129), 555 (A-130)
Giorgi DMA, 541 (A-73)
Girerd X, 132
Gist R, III-171
Golub MS, III-96
Gomez HJ, 530 (A-31)
Gomez RE, 557 (A-140), 558 (A-141)
Gómez Llambí H, 558 (A-142), 558 (A-143)

Goncalves RN, 541 (A-73)
Gontijo JA, 538 (A-63), 538 (A-64)
Gonzalez M, 546 (A-96)
Goodman HO, 634
Goodson S, 379
Gorzalczany S, 553 (A-123)
Graham RM, III-120
Grassi G, 209
Greene LJ, 539 (A-67)
Griendling KK, III-181
Grodski A, III-120
Gross KW, 518 (RC)
Grosse A, 526 (A-13)
Grunfeld B, 554 (A-128), 555 (A-129), 555 (A-130)
Guidi E, 591
Guier WH, II-85
Gutkind JS, 545 (A-92), 560 (A-150), 560 (A-151)
Gutkowska J, 88, 144, 524 (A-7), 524 (A-8) 545 (A-89), 545 (A-90), 547 (A-98)

H

Haber E, 1 (E), 315 (BR)
Haddy FJ, 525 (A-10)
Hagler HK, 525 (A-11)
Hamilton BP, 437
Hamlin MN, 552 (A-120)
Hamlyn JM, 437
Hammond IW, II-69
Harrington DP, 384
Harsha DW, 236
Haupert GT Jr, 315 (BR)
Heagerty AM, 13, III-155
Heesch CM, III-137
Heimann JC, 538 (A-62)
Heise ER, 634
Heistad DD, III-101
Henderson J, 526 (A-14)
Henry JP, 268
Henry WL, II-36, II-90
Herrera-Acosta J, 531 (A-33), 537 (A-58)
Herzer WA, 513
Hess H-J, III-120
Hilbig J, 473
Hilgenfeldt U, 339
Hillebrand SJW, 96
Hinderliter AL, 459
Hintze TH, 582
Hofbauer KG, III-110
Hofman A, 188
Holland OB, III-142
Holland S, 498
Hollenberg NK, 289, 384, 591
Holmberg SW, 607
Holtz J, 350
Homcy CJ, III-120
Horan MJ, II-2, II-97
Huang DX, 654
Huchet-Brisac A-M, 132
Hughes JM, 553 (A-124)
Huidobro-Toro JP, 528 (A-24)
Hypertension Detection and Follow-up Program Cooperative Group, 641

I

Ida F, 541 (A-75)
Iglesias GE, 526 (A-13)
Iijima F, 553 (A-119)
Iitake K, 172
Ikeda M, 245
Imura H, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Ingelfinger JR, III-36
International Society of Hypertension, 110 (SR)
Irizarry JE, 532 (A-40), 533 (A-41)
Ishii M, III-6
Ishimitsu T, III-6
Israel A, 560 (A-150)
Itoh H, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Iwahashi H, III-19
Iwai J, I-18
Izumi C, 539 (A-67)
Izzo JL Jr, 415

J

Jackson EK, 513
Jarrott B, III-198
Jazbick W, 551 (A-113)
Jazbik JP, 551 (A-113)
Jeffries WB, III-125
Jensen G, III-31
Jin M, 545 (A-91)
Johns RA, III-186
Johnson M, 24
Joossens JV, 654
Josephs JA, 398
Joyner CR, 547 (A-97)
Joyner WL, III-86
Julius S, 459
Juncos LI, 532 (A-39)

K

Kageyama Y, III-166
Kahn AM, 7
Kahn HS, 390
Kallay MC, 415
Kanayama Y, 566
Kannel WB, II-40
Kaplan NM, 526 (A-14)
Karam R, 535 (A-52)
Kardon MB, 553 (A-122)
Karimeddini MK, II-81
Katz S, 224
Kawarabayashi T, 566
Kawashima S, 467
Kazanietz MG, 545 (A-92)
Keen CL, 624
Kerr N, III-142
Kesteloot H, 654
Khalil-Manesh F, 18
Khosla MC, 523 (A-1)
Kichuk MR, 582
Kido R, III-19
Kimura B, 546 (A-94)
Kimura Y, 552 (A-117)
King B, 553 (A-124)
King BD, 582
Kiyonaga A, 245
Kligfield P, II-69
Klotman PE, 444
Knapka J, I-11
Knoll M, II-90
Kohlmann O Jr, 531 (A-34), 543 (A-82), 557 (A-137), 557 (A-138)
Kohno M, 566
Kono T, 551 (A-114)
Kopp UC, 69
Koppmann Maquieira M, 555 (A-131)
Korner PI, 122
Kosoglov AT, 534 (A-46)
Kraft-Schreyer N, III-57
Krakoff LR, 553 (A-121)
Krieger EM, 536 (A-54), 537 (A-59), 540 (A-70), 540 (A-71), 541 (A-74), 541 (A-75), 541 (A-76)
Kuchel O, 76, 527 (A-17), 527 (A-18)
Kuijpers MHM, I-34
Kuraja I, 558 (A-142), 558 (A-143)
Kurihara M, 560 (A-150), 560 (A-151),
Kurnjek ML, 555 (A-132), 557 (A-139)
Kushner H, III-57

L

Lachance D, 524 (A-7)
Lang RE, 545 (A-91)
Lanier SM, III-120
Laragh JH, II-53, II-69
Larivière R, 556 (A-133)
Larrabee PS, 415
Laurent S, 132
Leahy KM, 607
Leary WP, 526 (A-15), 526 (A-16), 528 (A-21)
Lebeau R, 546 (A-96)
Lechi A, 230
Lechi C, 230
Lee CS, I-8
Lee D, 549 (A-106)
Lee DBN, III-31
Lee RMKW, 559 (A-145), 559 (A-146)
Legrand M, 132
Leimbach WN Jr, 429
Leitschuh M, III-106
Lens XM, 531 (A-35)
Levenson J, 524 (A-5)
Levin G, 556 (A-134), 556 (A-135)
Lewis SJ, III-198
Li Y-L, 654
Liang C-s, 467
Liang Y, 554 (A-125)
Liebson PR, II-2, II-65, II-69, II-97
Limbird LE, III-120
Lindpaintner K, 545 (A-91)
Lindsey CJ, 543 (A-83), 543 (A-84), 544 (A-85)
Liumsiricharoen M, III-171
Lockette W, III-91
Loeb AL, III-186
Lombard JH, III-86
Lopes OU, 534 (A-46), 540 (A-69)
Lopes de Faria SR, 543 (A-81)
Louis WJ, III-198
Lovenberg W, I-5, I-7, I-13
Lückhoff A, 295
Lucon AM, 541 (A-73)
Lugo C, 526 (A-14)
Luque-Otero M, 536 (A-56), 537 (A-57)
Lüscher TF, 157, III-193
Lustig S, III-31
Luvizotto ML, 538 (A-62)
Lynch KR, III-25

M

Maack T, 523 (A-3)
MacGregor GA, 629
Machado BH, 554 (A-126)
Machado RP, 536 (A-55)

Macías I, 523 (A-2)
MacMahon S, 111
Madeddu P, 549 (A-108)
Madkour MA, 536 (A-53)
Magargal W, 527 (A-20)
Maharaj B, 526 (A-15)
Malheiro PS, 539 (A-68)
Malik KU, 553 (A-119)
Mancia G, 209
Mangiapane ML, 332, 355, III-206
Mangiarua E, 559 (A-145)
Man in't Veld AJ, 198, 521
Marcó EJ, 523 (A-4)
Marcondes M, 537 (A-60), 538 (A-61), 538 (A-62), 539 (A-65), 539 (A-68), 541 (A-73)
Marin-Grez M, 559 (A-148)
Mark AL, 429, III-114, III-159
Markandu ND, 629
Marrero E, 304
Martell-Claros N, 536 (A-56), 537 (A-57)
Martinez A, 530 (A-29)
Martínez-Maldonado M, 304, 532 (A-38), 532 (A-40), 533 (A-41), 533 (A-42), 533 (A-43)
Martínez Seeber A, 530 (A-32)
Martins AS, 536 (A-55)
Massaldi H, 559 (A-147)
Masuyama Y, III-19
Mattes RD, 547 (A-99)
Mayhan WG, III-101
Mazack EK, 150
Mazzadi A, 558 (A-143)
McEldoon J, 549 (A-107)
McGaughey M, II-85
McKenzie R, 559 (A-146)
McKinley MJ, III-198
Meer RB, 526 (A-14)
Meklei J, I-24
Menani JV, 541 (A-76)
Mendelsohn FAO, III-198
Menitove JE, 423
Mento PF, III-42
Mercuro G, 35
Michelini LC, 540 (A-70), 540 (A-72)
Mikulic L, 555 (A-132), 557 (A-139)
Mill JG, 556 (A-136)
Miller BG, 59
Miller ED Jr, III-25
Millett J, 498
Milner P, III-186
Minatogawa Y, III-19
Mion D, 541 (A-73)
Miranda B, 524 (A-6), 530 (A-29)
Mistry M, 560 (A-149)
Mohara O, 535 (A-50)
Moncloa F, 530 (A-31)
Montero J, 531 (A-36)
Moore MA, 634
Moorehead C, III-64
Moraes AV, 537 (A-60)
Morales C, 524 (A-5)
Moreira ED, 541 (A-74), 541 (A-75)
Moreira RD, 540 (A-71)
Morera S, 553 (A-123)
Morgan DA, III-159
Morii N, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Moser M, III-80
Mukoyama M, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Mulinari RA, 557 (A-137), 557 (A-138)
Müller A, 558 (A-144), 559 (A-147)
Müller HM, 139
Mullins JJ, 518 (RC)
Mulvany MJ, III-155
Murakawa K, 566
Murphy WR, 611

N

Nadeau RA, 546 (A-96)
Nadler JL, 379
Nagahama M, 559 (A-146)
Nakai M, 362
Nakanishi S, 551 (A-116)
Nakao K, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Narkates AJ, 527 (A-19)
Nasjletti A, 560 (A-149)
Natsume T, 362
Needleman P, 485, 607
Nii T, III-176
Nishimura K, 544 (A-88)
Nishio I, III-19
Nogueira-da-Silva RI, 541 (A-74)
Nolly H, 550 (A-109), 550 (A-110)
Nunnari JM, III-120
Nuwayhid BS, 371

O

Obata K, 544 (A-88)
Oei HY, 451
Ohkubo H, 551 (A-116)
Ohnishi A, 513
Okumura K, 544 (A-88)
Olhaberry J, 526 (A-16)
Olins PO, 607
Olpe H-R, III-110
Omae T, 552 (A-117)
Onishi K, 552 (A-117)
Oparil S, 527 (A-19), III-171
Otero F, 523 (A-4)
Otsuka Y, III-91
Otterbein ES, 530 (A-31)
Ouchi Y, 172
Overlack A, 139
Owens GK, 178

P

Padgett GA, 49
Paiva ACM, 543 (A-83), 543 (A-84)
Pamnani MB, 525 (A-10)
Paolini RM, 541 (A-73)
Parati G, 209
Pawloski CM, III-206
Paxinos G, III-198
Peach MJ, III-25, III-186,
Pearson JE, 553 (A-122)
Perez-Casar F, 537 (A-57)
Persoli LBL, 538 (A-61)
Pesquero JB, 543 (A-84)
Pesquero JL, 543 (A-84)
Petrasek D, III-31
Petscher C, 261
Pettinger WA, 3 (E), III-125
Peuler JD, III-159
Phelan EL, I-15
Phillips MI, 546 (A-94)
Phillips RA, 553 (A-121)
Pichel R, 524 (A-5)
Pickering TG, II-53
Pillegi F, 537 (A-60), 538 (A-61)
Pinkas GA, 437
Pinto M, III-69
Pohl M, 550 (A-111)
Polignano R, 230
Pomidossi G, 209
Pratt RE, III-36
Prewitt RL, 398
Proto MC, 525 (A-12)
Puylaert CBAJ, 451
Puyó AM, 556 (A-135)

Q

Queiruga G, 526 (A-16)
Quesada E, 554 (A-128)

R

Racz K, 76
Ragsdale NV, 533 (A-124)
Raij L, 157, III-193
Ralakis J, 526 (A-14)
Ram CVS, 526 (A-14)
Ramírez AJ, 523 (A-4), 548 (A-102), 548 (A-103), 548 (A-104)
Ramon MC, 536 (A-56)
Ramos OL, 531 (A-34), 542 (A-78), 542 (A-79), 542 (A-80)
Rapp JP, I-21
Ratliff N, 261
Ratts TE, 398
Reichek N, II-27, II-30
Reid QB, 634
Reisin E, 553 (A-122)
Repaske MG, III-120
Ressel C, 139
Revert L, 531 (A-35)
Reyes AJ, 526 (A-15), 526 (A-16), 528 (A-21)
Ribeiro AB, 531 (A-34), 543 (A-82), 557 (A-137), 557 (A-138)
Ribera JM, 536 (A-56)
Richelson E, 24
Rinaudo M, 525 (A-10)
Ringel RE, 437
Riozzi A, 13
Rivano CA, 35
Rivera F, 531 (A-35)
Rizzo M, 534 (A-45)
Robbins MA, 192
Robertson J, 527 (A-19)
Roblero J, 528 (A-24)
Rocchini AP, III-64
Rocha-e-Silva M, 541 (A-74)
Rodicio JL, 524 (A-6), 530 (A-29)
Rodríguez JA, 529 (A-27)
Rodriguez-Sargent C, 304, 532 (A-38), 532 (A-40), 533 (A-41), 533 (A-42), 533 (A-43)
Rogacz S, 289
Rohan MK, II-90
Román O, 546 (A-95)
Román O Jr, 546 (A-95)
Roman RJ, III-130
Rosa JC, 539 (A-67)
Rosas R, 528 (A-22), 529 (A-26)
Rosón MI, 555 (A-131)
Rossetti ZL, 35
Rovar J, 530 (A-29)
Rozental R, 551 (A-113)
Rude RK, 379
Ruilope LM, 524 (A-6), 530 (A-29)

Ruiz P, 542 (A-77)
Ruscazio M, 35
Russo R, 557 (A-139)

S

Saad CI, 557 (A-137), 557 (A-138)
Saavedra JM, 560 (A-150), 560 (A-151)
Sabbaga E, 539 (A-68)
Saber LTS, 538 (A-63)
Sack D, 582
Saieh C, 532 (A-37)
Saito Y, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Saiz N, 536 (A-56)
Salas SP, 528 (A-24), 532 (A-37)
Salgado BJL, 543 (A-82)
Salgado HC, 537 (A-59)
Salgado MCO, 539 (A-66)
Saliternick-Vardi R, I-24
Samant DR, 18
Sanchez F, 536 (A-56)
Sánchez RA, 523 (A-4)
Sancho J, 530 (A-29)
Sancho Rof J, 524 (A-6)
Santos RAS, 533 (A-44), 534 (A-47), 535 (A-49), 536 (A-54), 536 (A-55)
Saragoça MA, 542 (A-78), 542 (A-79), 542 (A-80)
Sassard J, I-27
Sato Y, 81
Savage DD, II-36, II-40
Sawin LL, 41
Schalekamp MADH, 198, 521
Schiavone MT, 534 (A-45)
Schieken RM, II-47
Schiffrin EL, 504, 524 (A-8), 556 (A-133)
Schiller NB, II-33
Schmid-Schönbein GW, 164
Schmitt H, 132
Schoenberger JA, II-45
Schooley JF Jr, 525 (A-10)
Schott R, 339
Schroeder G, 473
Schultz NR Jr, 192
Schulz WW, 525 (A-11)
Schwartz D, 485
Schwarzenberger K, III-142
Scicli AG, 549 (A-108), 550 (A-109), 550 (A-110)
Scicli G, 550 (A-109)
Scott RE, 371
Seals DR, 429
Secaf G, 538 (A-63)
Seino S, 553 (A-123)
Sen S, 261
Sequeira DMC, 538 (A-62), 539 (A-68)
Sexton PM, III-198
Seymour AA, 150
Shamsi N, 224
Share L, 172
Sharma RV, 549 (A-107)
Shaw W, 530 (A-31)
Shear CL, 236
Shindo M, 245
Shiono S, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Shore AC, 629
Shu VWC, II-90
Silva HB, 538 (A-61), 541 (A-73)
Silva JCT Jr, 539 (A-68)
Silva Netto CR, 538 (A-64)
Simal J, 537 (A-57)
Simmons WH, 598
Simon AC, 524 (A-5)
Simon G, III-13
Simpson FO, I-15
Simsolo R, 555 (A-129), 555 (A-130), 556 (A-134)
Sing CF, 24
Singer DRJ, 629
Sinigaglia D, 230
Siren A-L, 561 (BR)
Sirois P, 545 (A-89)
Skelton MM, 407, 423
Skinner JE, 576
Sladek CD, 332
Smith LA, 69
Smith RJ, 415
Smith SG III, 150
Smith V-E, II-81
Smyth DD, III-125
Soares de Moura R, 551 (A-113)
Soltis EE, 492
Sommer O, 350
Sonoda R, 544 (A-88)
Soria MO, 525 (A-12)
Sprunger AE, 534 (A-45)
Sripairojthikoon W, III-171
Standaert DG, 485
Stanek KA, 611
Stekiel WJ, III-86
Stern N, III-31
St-Louis J, 504, 556 (A-133)
Stock G, 473
Stockman PT, 485
Straw JA, 571
Streeten DHP, 192
Stumpe KO, 139
Sugawara A, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Sugden AL, 571
Sugimoto T, III-6
Sullivan JM, 398
Sumitani M, 536 (A-54)
Svetkey LP, 444
Swales JD, 13, III-155
Szilagyi JE, 576

T

Tabuchi Y, 535 (A-49)
Taira CA, 548 (A-102)
Takeda T, 566
Takishita S, 552 (A-117)
Tam L-T, III-125
Tanabe Y, 245
Tanaka H, 245
Tapia E, 531 (A-33), 537 (A-58)
Taquini AC, 542 (A-77), 558 (A-143)
Taquini CM, 558 (A-142), 558 (A-143)
Taylor AA, 576
Tejeira R, 548 (A-101)
Thames MD, 478
Thevenard RS, 537 (A-60)
Thibault G, 524 (A-7), 524 (A-8), 547 (A-98), 88, 144
Thompson LP, 277
Thurston H, 13
Tipayamontri U, 371
Tippett FE, 49
Tobar MC, 531 (A-36), 532 (A-37)
Tocco L, 35
Tolunay HE, 485
Tomita Y, 552 (A-117)
Torres Negron I, 532 (A-38)
Torretti BA, 459
Tovar J, 524 (A-6)
Townsend R, 547 (A-97)
Trolliet MR, 555 (A-132), 557 (A-139)
Tsoukaris-Kupfer D, 132
Tsuda K, III-19
Tsumagari T, 552 (A-117)
Tuck ML, III-31
Turla MB, III-150
Turner ST, 24

U

Uehara Y, III-6
Ueno Y, 535 (A-50)
Unger T, 545 (A-91)
Urata H, 245
Urban JH, 598
Ureta H, 528 (A-24)

V

Valdés G, 531 (A-36), 532 (A-37)
Valenzuela MA, 546 (A-95)
van Brummelen P, 647
Van de Kar LD, 598
van den Broek LAM, 96
Vander AJ, 268
van der Byl K, 528 (A-21)
van der Krogt JA, 647
van Es PN, III-210
Vanhoutte PM, 157, III-193
van Zutphen BFM, I-34
Vari RC, 345
Vasquez EC, 546 (A-93), 556 (A-136)
Vassallo DV, 556 (A-136)
Vaughan RD, 188
Velasquez MT, 407, 423
Velhote VW, 539 (A-68)
Venkataraman K, 18
Verberne AJM, III-198
Verburg KM, 345
Vesanen K, III-69
Victor RG, 429, 309 (CR)
Vidt DG, 550 (A-111)
Villamil MF, 558 (A-144), 559 (A-147)
Villas-Boas WW, 536 (A-54)
Vincent HH, 198, 521
Vincent M, I-27
Vío CP, 528 (A-23), 531 (A-36), 532 (A-37)

W

Wajchenberg BL, 539 (A-65)
Wallerson DC, II-6, II-69
Wallin BG, 429, III-114
Walter HJ, 188
Wang Y, III-125
Ward PE, III-1
Ware JH, II-36
Washington JM, III-25
Webb RC, 268, 277, 552 (A-120), III-150
Weber E, 547 (A-97)
Weber MA, II-61, II-90
Weder AB, 459
Wei Y, 607
Weiss JL, II-85
Wentz E, III-64
White WB, II-81

Whorton AR, 619
Wiegand RC, 485
Wilhelm MJ, 545 (A-91)
Wilkes BM, III-42
Williams GH, 289, 384
Wilson KM, 527 (A-20)
Winkler MA, 217 (BR)
Winter I, 295
Wokke JMP, 96
Wright CE, 122
Wyss JM, III-171

Y

Yamada T, 544 (A-86), 544 (A-87), 544 (A-88), 551 (A-114), 551 (A-115), 551 (A-116)
Yamamoto J, 362
Yamori Y, I-13

Yarger WE, 444
Yasue H, 544 (A-88)
Yasunari K, 566

Z

Zanchetti A, 209
Zanella MT, 531 (A-34), 543 (A-81), 543 (A-82)
Zanella T, 557 (A-137)
Zatz R, 539 (A-65)
Zeng Q, 518 (RC)
Zenzen JG, 139
Zinn S, 345
Zuleta E, 548 (A-101)
Zweifach BW, 164

Index to Volume 9

HYPERTENSION JANUARY-JUNE 1987

SUBJECT INDEX

Key to abbreviations: A = abstract; BR = brief review; CR = case report; E = editorial; L = letter; RC = rapid communication. Roman numerals preceding page numbers indicate articles published in supplements.

A

Abstracts, Seventh Scientific Meeting of the Inter-American Society of Hypertension

Acute effects of unclipping on cardiac hypertrophy and left ventricular inotropic response to isoproterenol in renal hypertensive rats, 558 (A-143)

Angiotensin II alters the pattern of pressure changes during sleep, 540 (A-71)

Angiotensin II binding sites undergo transport in the vagus nerve, 535 (A-51)

Atrial and plasma levels, and renal glomerular receptors of atrial natriuretic factor during changes in sodium and water metabolism, 524 (A-8)

Atrial natriuretic factor release during chronic and acute infusion of angiotensin II in the rat, 524 (A-7)

Atrial natriuretic factors and antidiuretic agents, 528 (A-22)

Brain angiotensin and the development of hypertension in spontaneously hypertensive rats, 546 (A-94)

Brain renin-angiotensin system and the response to stress in the spontaneously hypertensive rat, 527 (A-19)

Calcium-channel blockers and vascular reactivity in primary hyperparathyroidism, 529 (A-27)

The captopril test and plasma renin activity for identifying renovascular disease in hypertension, 539 (A-68)

Cardiovascular role of vasopressin in the upright position in normotension and hypertension, 557 (A-138)

Central and peripheral mechanisms by which decreased tidal volume alters regulation of arterial pressure by rostral ventrolateral medulla, 554 (A-127)

Central muscarinic involvement on the cardiovascular control in sham and sinoaortic denervated rats, 548 (A-102)

The central renin-angiotensin system in different stages of the development of spontaneous hypertension in the rat, 542 (A-77)

Changes in mean arterial pressure and renal damage following weight reduction in spontaneously hypertensive rats, 553 (A-122)

Changes in urinary kallikrein excretion in hypertensive and in uninephrectomized children, 555 (A-130)

Chronic and acute effects of 6-iodo-amiloride, a sodium channel blocker, in genetic and renal models of experimental hypertension, 525 (A-10)

Chronic sodium restriction prevents cataract formation in Dahl salt-sensitive rats, 533 (A-43)

Circulating angiotensin II modulates adrenocortical secretion through ACTH during acute depletion, 550 (A-112)

Concentration of angiotensin I converting enzyme (kininase II) and neutral endopeptidase 24.11 (enkephalinase) in human proximal tubules determined by immuno-electronmicrosopy, 525 (A-11)

Consequences of reversal of hypertensive cardiac hypertrophy by captopril on left ventricular pumping ability and performance, 542 (A-79)

Contrasting effects of norepinephrine and serotonin on contractility of abdominal aorta of two-kidney, two clip hypertensive rats, 555 (A-131)

Contribution of vasopressin in dexamethasone-induced hypertension in rats, 552 (A-119)

Converting enzyme inhibition: a therapeutical option for diabetic hypertensive patients, 543 (A-82)

Deoxycorticosterone induced hypertension in weanling rats, 532 (A-38)

Desensitization of vascular beta-2-adrenergic receptors and responses to vasodilators, 545 (A-92)

Differing evolutive patterns of DNA replication and extracellular matrix accumulation in the intima-media and adventitia after aortic ligation, 552 (A-118)

Direct evidence of increased sympathetic innervation in cerebral arteries of spontaneously hypertensive rats, 559 (A-145)

Direct vascular relaxing effect of glandular kallikrein in isolated dog arteries, 550 (A-110)

Distinct ganglionic and plasma immunoreactive atrial natriuretic factor concentration patterns in two models of genetic hypertension, 527 (A-17)

Diuresis and natriuresis during 24h dopamine-1 receptor stimulation in man, 553 (A-124)

Diuretic action of bremazocine, a kappa-opioid acting at central and peripheral sites, 528 (A-24)

Early abnormalities of left ventricular function in essential hypertension, 523 (A-4)

Early arteriolar vasoconstriction and wall thickening in renovascular hypertensive hamsters: an intravital microscopy study, 529 (A-25)

Early neurohormonal mechanisms of the cardiovascular response produced by treatment of hypovolemic shock with hypertonic NaCl, 534 (A-46)

Effect of a community control of hypertension program, 523 (A-2)

Effect of atrial natriuretic factor on stimulated catecholamine synthesis in superior cervical ganglia of the rat, 527 (A-18)

Effect of cardionatrin on the response of toad skin to angiotensin II, 525 (A-12)

Effect of central serotonin depletion on blood pressure and the renin-angiotensin system in the normal rat, 557 (A-139)

Effect of different antihypertensive treatment on ventricular mass, 531 (A-33)

Effect of kinin antagonist on normal blood pressure, 549 (A-108)

Effect of lifetime captopril treatment on drinking, peripheral vascular reactivity and angiotensin II receptor binding in SHR, 527 (A-20)

Effect of nisoldipine on renal function in normal volunteers and essential hypertensive patients, 524 (A-6)

Effect of nucleus ambiguus lesion on arterial pressure and heart rate in rats with sino-aortic deafferentation, 554 (A-126)

Effect of pH on the inhibition of angiotensin converting activity by enalaprilat in the rat perfused mesenteric vascular bed, 543 (A-83)
The effect of uninephrectomy on the contractile performance of the rat heart, 556 (A-136)
Effects of autonomic blockade on the visco-elastic aortic response to angiotensin-induced acute hypertension in conscious dogs, 524 (A-5)
Effects of chronic benzodiazepine on heart rate reflex control in DOCA/salt hypertensive rats, 548 (A-104)
Effects of hydrochlorothiazide and amiloride on salt taste and intake, 547 (A-99)
The effects of indomethacin, enalapril, and clonidine in coarctation of the aorta in dogs, 538 (A-62)
The effects of labetalol on ambulatory blood pressure and left ventricular mass and function in patients with isolated systolic hypertension, 549 (A-106)
Effects of neuropeptides on blood pressure and on ANF release in conscious rats, 545 (A-90)
Effects of rostral pontine ablation in normal, DOC-salt or one-kidney, one clip hypertensive rats, 558 (A-141)
Essential hypertension: a potential risk for cataract formation, 533 (A-42)
Evaluation of the effects of long-term treatment of essential hypertensive patients with only one drug, 549 (A-105)
Evidence for a functional intrinsic cardiac renin-angiotensin system with differential activity in normotensive and hypertensive states, 545 (A-91)
Evidence for a pepstatin-sensitive angiotensin I-forming enzyme in nephrectomized dogs, 535 (A-49)
Evidence for a role of vasopressin as a pressor agent in moderate essential hypertension, 531 (A-35)
Evidence of dopamine involvement in volume- and atrial natriuretic peptide-induced diuresis, 559 (A-148)
Evidence that S2 receptors are involved in the hypotensive spinal effect of serotonergic activation in anesthetized rats, 548 (A-103)
Extent and rate of baroreceptor resetting in response to sodium nitroprusside, 537 (A-59)
Facilitation of the baroreflex by bilateral injections of an angiotensin II antagonist into the nucleus tractus solitarii, 534 (A-48)
Factors determining patients' drop-out within a programme of hypertension management, 529 (A-26)
Failure to compensate decreased dietary sodium with salt shaker use, 547 (A-100)
Further studies on the relationship between the noradrenergic and the renin-angiotensin systems in the brain of the rat, 555 (A-132)
The gene map of hypertension; first version 1986, 525 (A-9)
High potassium intake produces hypertrophy and hyperplasia of the kallikrein-containing cells of the distal nephron, 528 (A-23)
High potassium intake reduces blood pressure and increases kallikrein excretion in essential hypertensive patients, 531 (A-36)
High salt intake increases renal vasorelaxant effect of atrial natriuretic factor, 523 (A-3)
HLA antigens and vascular reactivity in essential hypertension: a family study, 538 (A-61)
Hyperfiltration can be evaluated by glycine infusion in a model of renal ablation and hypertension in the rat, 537 (A-58)
Hypertension in experimental diabetes mellitus: role for major vasopressor systems, 531 (A-34)
Hypertension prevalence and the status of awareness and treatment in Spanish elderly population, 536 (A-56)
Hypothalamic disconnection and sodium balance, 540 (A-69)
Immediate blood pressure effects of brain stem sections in awake DOC-salt hypertensive rats, 557 (A-140)
Immunohistochemical localization of peptide-containing nerves around cerebral arteries of stroke-prone spontaneously hypertensive rats, 559 (A-146)
Implication of atrial natriuretic polypeptide in essential hypertension and primary aldosteronism, 551 (A-114)
Increased number of angiotensin II receptors in specific forebrain and brainstem nuclei of genetically hypertensive rats, 560 (A-151)
Individual hypertensive therapy, 548 (A-101)
Influence of carbachol injection into the lateral hypothalamic area of spontaneously hypertensive rats on the renal excretion, 538 (A-64)
Influence of left ventricular diastolic function on vascular and humoral responses to head-up posture in hypertension, 536 (A-53)
Influence of pre- and afterload on the alterations of myocardial contractility induced by low and high sodium intake, 535 (A-52)
Influence of sex hormones on the development of left ventricular hypertrophy in sinoaortic denervated rats, 546 (A-93)
Influence of the AV3V region and sino-aortic denervation on the pressor response to carotid occlusion, 541 (A-76)
Intravenous injections of hypertonic sodium salts fire afferent vagal activity in rats; other solutes are ineffective, 541 (A-74)
In vivo release of angiotensin II from rat hypothalamus during push-pull cannula perfusion, 534 (A-45)
Kallikrein-like enzymes in aorta from normotensive and hypertensive rats, 550 (A-109)
Left ventricular hypertrophy and function in hypertension: pre- and post-ergometric echocardiography before and after propranolol therapy, 537 (A-60)
Lisinopril: efficacy in hypertension, 530 (A-31)
Localization of target cells for atrial natriuretic factor in the lung, liver and small intestine: an in vivo electron microscopic radioautographic study, 547 (A-98)
Lowering of arterial pressure with hydralazine therapy does not prevent albuminuria in experimental diabetes rats, 539 (A-65)
Modulation of the baroreflex sensitivity by micro injection of vasopressin into the nucleus of tractus solitarii in freely moving rats, 540 (A-72)
Mortality and morbidity of treated systemic arterial hypertension: a 12 year follow-up survey, 546 (A-95)
A new look at the pathology of hypertension with unilateral renal parenchymal disease in children, 554 (A-128)
Nifedipine therapy in hypertensive patients with co-existent mild congestive heart failure: effects on ejection fraction, exercise tolerance, and plasma catecholamines, 526 (A-14)
N-terminal fragment of γ-human atrial natriuretic polypeptide — presence in atrium and co-secretion with α-human ANP into circulation in man, 544 (A-86)
Overdiagnosis of hypertension in young adults, 553 (A-121)
The partial resetting of baroreceptors remains steady during the first hours of hypertension, 541 (A-75)
Peripheral dopaminergic blockade with domperidone for the treatment of diabetic orthostatic hypotension, 543 (A-81)
PGF2α effects on smooth muscle vasoconstrictor responses, 530 (A-30)
Pilot evaluation of the putative antihypertensive effect of magnesium, 526 (A-16)
Pindolol, but not propranolol, reverses cardiac hypertrophy of 2K-1C hypertensive rats, 542 (A-78)
Plasma total dopamine/total norepinephrine ratio in catecholamine-secreting tumor patients: is it related to hypertension? 556 (A-135)
Possible involvement of brain renin-angiotensin system in regulation of atrial natriuretic polypeptide secretion from heart, 544 (A-87)
Postnatal development of renal kallikrein in normal childhood, 532 (A-37)
Potent inhibitory action of leumorphin on vasopressin secretion and blood pressure in conscious rats, 551 (A-115)
The pressor effect of bradykinin injected into the central nervous system of normotensive and hypertensive rats, 544 (A-85)
Primary aldosteronism as a cause of severe and resistant hypertension: pathophysiologic and therapeutic implications, 550 (A-111)
Progressive lenticular electrolyte changes during cataract development in the Dahl salt-sensitive rat, 532 (A-40)
Rapid normalization of blood pressure by unclipping induces regression of cardiac hypertrophy in renal hypertensive rats, 558 (A-142)
Reactivity of human saphenous vein from normotensive and hypertensive patients to angiotensin I, angiotensin II, captopril, norepinephrine, serotonin and verapamil, 551 (A-113)
Regulation of brain atrial natriuretic peptide and angiotensin II receptors in hypertension and dehydration, 560 (A-150)
Relationship between chronic stimulation of the brain renin angiotensin system and the presence of a humoral inhibitor of the Na-K pump, 554 (A-125)
Release of atrial natriuretic factor-like immunoreactivity from the isolated perfused rat lung, 545 (A-89)
Renal acid excretion in primary arterial hypertension, 538 (A-63)
Renal effects of fenoldopam in refractory hypertension, 530 (A-29)
Renal excretory actions of perindopril in healthy subjects, 528 (A-21)
Renal excretory actions of several beta-adrenergic blockers in healthy subjects, 526 (A-15)

Renal function in conscious control and one-kidney, one clip hypertensive rats: effect of indomethacin, 553 (A-123)
Renal radiation: renal effects and blood pressure response to saralasin, 532 (A-39)
Renovascular hypertension: outcome of kidney autotransplantation and percutaneous transluminal angioplasty, 541 (A-73)
Reversal of cataracts in Dahl salt-sensitive rats by acute sodium restriction, 533 (A-41)
The role of alpha-adrenergic blockade on left ventricular diastolic filling in mild hypertension, 547 (A-97)
Role of phorbol esters in norepinephrine stimulated contraction in SHR vascular smooth muscle, 549 (A-107)
Role of pressor prostanoids in severe hypertension in rats, 560 (A-149)
Salt appetite and thirst during deoxycorticosterone acetate hypertension in the sheep, 552 (A-120)
Selective enrichment of angiotensin converting enzyme activity within catecholamine-containing regions of the brain stem and spinal cord of the dog, 533 (A-44)
Selective reversal of the impaired bradycardic component of the baroreflex after blockade of the renin-angiotensin system in renal hypertensive rats, 536 (A-54)
Sequential shifts in contributions of baroreflexes and peripheral and central neurohormones in mineralocorticoid-induced hypertension, 535 (A-50)
Site of entry into renal tubular fluid of kininase II, 536 (A-55)
Sodium transport systems in red blood cells of normotensive and hypertensive children, offspring of a single hypertensive parent, 555 (A-129)
Studies on baroreceptor reflex in hypertensive rats, 530 (A-32)
Submaxillary gland kallikrein and tonin-related enzymes in young, aged and spontaneously hypertensive rats, 543 (A-84)
Sympathetic function in the offspring derived from breeders on low sodium diet or diuretic therapy in spontaneously hypertensive rats, 552 (A-117)
Sympatho-adrenal and cardiovascular responses to isometric exercise in normotensive and hypertensive patients, 546 (A-96)
Synthesis of angiotensin analogs as cardiac specific inotropic agents, 523 (A-1)
A theoretical and experimental study of Ca movements induced in vascular smooth muscle by bumetanide and other vasoactive agents, 559 (A-147)
Tissue and plasma angiotensin converting enzyme activity in renal hypertensive rats, 539 (A-66)
Tissue levels of mRNA for atrial natriuretic polypeptide precursor and ANP in rat atrium and ventricle, 551 (A-116)
Total plasma catecholamines in offspring of essential hypertensives: response to standing, 556 (A-134)
Trypsin-releasable spasmogenic substance from human plasma, 539 (A-67)
Unexpected changes in the geometry and distensibility of the aorta of spontaneously hypertensive rats during growth, 540 (A-70)
Usefulness of atrial natriuretic polypeptide as a vasodilator for treatment of congestive heart failure, 544 (A-88)
Use of specific inhibitors to identify a role for tissue kallikrein in blood pressure regulation, 529 (A-28)
Vascular binding sites and biological activity of vasopressin in renal and DOCA-salt hypertension in the rat, 556 (A-133)
Vascular reactivity of hypertensive patients treated with thiazides, beta blockers and clonidine during a psychological experimental stress situation, 526 (A-13)
Vascular relaxing effects of bumetanide, 558 (A-144)
Vasodilator characteristics of hypertonic sodium acetate and sodium chloride: effects of autonomic blockade, 542 (A-80)
Vasopressin maintains blood pressure in diabetic orthostatic hypotension, 557 (A-137)
Ventricular ectopy activity in hypertensives and marathon runners with left ventricular hypertrophy, 537 (A-57)
The ventrolateral medulla: a new site for the actions of the renin-angiotensin system, 534 (A-47)

Acetylcholine
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193
Endothelium-dependent vascular responses in normotensive and hypertensive Dahl rats, 157
Increased vasodilator responses to acetylcholine in psychosocial hypertensive mice, 268
Phorbol ester, vascular relaxation, and cyclic guanosine 3',5'-monophosphate, III-91
Vascular amplifier properties in renovascular hypertension in conscious rabbits: hindquarter responses to constrictor and dilator stimuli, 122

Adenosine
Effects of atrial natriuretic factor on hormone-induced renin release, 513
Endothelium-dependent vascular responses in normotensive and hypertensive Dahl rats, 157
Inhibition of renin release by analogues of adenosine in rabbit renal cortical slices, 619
Vascular amplifier properties in renovascular hypertension in conscious rabbits: hindquarter responses to constrictor and dilator stimuli, 122

Adenosine 5'-diphosphate
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193

Adenosine triphosphatase
Cytochemically assayable Na^+,K^+-ATPase inhibition by Milan hypertensive rat plasma, 498
Effects of diltiazem on cation transport across erythrocyte membranes of hypertensive humans, 18
Effects of high potassium or low sodium diet on vascular Na^+,K^+-ATPase activity and blood pressure in young spontaneously hypertensive rats, 571
Red blood cell Na^+,K^+-ATPase in men with newly diagnosed or previously treated essential hypertension, 437
The search for a hypothalamic Na^+,K^+-ATPase inhibitor, 315 (BR)

Adenosine triphosphate
Characterization of vascular relaxant factor released from cultured endothelial cells, 295

Adrenergic receptor blockade
Is β_1-antagonism essential for the antihypertensive action of β-blockers? 198
Platelet activating factor vasoconstriction of dog kidney: inhibition by alprazolam, 253

α-Adrenergic receptors
Prazosin-induced alterations in renal α-adrenergic receptor function, III-125
Renal α_2-adrenergic receptors and hypertension, 3 (E)
Role of α_1- and α_2-adrenergic receptors in the human hypertensive kidney, III-210
Role of renal α_2-adrenergic receptors in spontaneously hypertensive rats, 41
Synthesis and characterization of arylamine derivatives of rauwolscine as molecular probes for α_2-adrenergic receptors, III-120

β-Adrenergic receptors
Inhibition of renin release by analogues of adenosine in rabbit renal cortical slices, 619
Is β_1-antagonism essential for the antihypertensive action of β-blockers? 198
Preserved cardiac β-adrenergic sensitivity in early renovascular hypertension, 467

α-Adrenergic stimulation
Central α_2-adrenergic stimulation increases neurointermediate lobe immunoreactive β-endorphin in spontaneously hypertensive rats, 566

Age
Cardiovascular responses to acute stress in young-to-old spontaneously hypertensive rats, 362
Considerations in the use of echocardiography in epidemiology: the Framingham Study, II-40
Disparate relationships between blood pressure and left ventricular mass in patients with and without left ventricular hypertrophy, II-61
Doppler echocardiographic assessment of left ventricular systolic and diastolic function in mild hypertension, II-90
Effect of age, sex, and body surface area on echocardiographic left ventricular wall mass in normal subjects, II-36
Left ventricular hypertrophy in hypertension: prevalence and relationship to pathophysiologic variables, II-53

Measurement of left ventricular wall mass in pediatric populations, II-47
Plasma norepinephrine and age as determinants of systemic hemodynamics in men with established essential hypertension, 415
The prognosis of hypertension according to age at onset, 204
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24
Vertex-corrected blood pressure in black girls: relation to obesity, glucose, and cations, 390

Alcohol
Alcohol consumption and hypertension, 111

Aldosterone
Cyclosporin A–induced hyperreninemic hypoaldosteronism: a model of adrenal resistance to angiotensin II, III-31
Renin dependency of the effect of chronically administered atrial natriuretic factor in two-kidney, one clip rats, 88
Role of angiotensin II in the hormonal, renal, and electrolyte response to sodium restriction, 289

Alprazolam
Platelet activating factor vasoconstriction of dog kidney: inhibition by alprazolam, 253

Amiloride
Difference between human red blood cell Na^+-Li^+ countertransport and renal Na^+-H^+ exchange, 7

Angioplasty
Renovascular hypertension identified by captopril-induced changes in the renogram, 451

Angiotensin II
Angiotensin II receptors and angiotensin converting enzyme in the medulla oblongata, III-198
Angiotensin II stimulation of vascular smooth muscle phosphoinositide metabolism: state of the art lecture, III-181
The area postrema in deoxycorticosterone-salt hypertension in rats, III-206
Area postrema is critical for angiotensin-induced hypertension in rats, 355
Atrial natriuretic factor inhibits central angiotensin II pressor responses, 473
Cyclosporin A–induced hyperreninemic hypoaldosteronism: a model of adrenal resistance to angiotensin II, III-31
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Exaggerated renal vasodilator response to calcium entry blockade in first-degree relatives of essential hypertensive subjects, 384
Increased basal and thrombin-induced free calcium in platelets of essential hypertensive patients, 230
Plasma angiotensins and blood pressure during converting enzyme inhibition, III-42
Platelet activating factor vasoconstriction of dog kidney: inhibition by alprazolam, 253
Renal nerves and the pathogenesis of angiotensin-induced hypertension, 345
Role of angiotensin II in the hormonal, renal, and electrolyte response to sodium restriction, 289
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155
Subpressor infusions of angiotensin II alter glomerular binding, prostaglandin E_2, and cyclic AMP production, III-49
Vascular amplifier properties in renovascular hypertension in conscious rabbits: hindquarter responses to constrictor and dilator stimuli, 122

Angiotensinogen
Differences in pattern of plasma angiotensinogen in native and nephrectomized rats, 339

Antihypertensive agents
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193
Captopril and nifedipine in combination for moderate to severe essential hypertension, 629
Comparison of a new renin inhibitor and enalaprilat in renal hypertensive dogs, 150
Echocardiographic studies of regression of left ventricular hypertrophy in hypertension, II-65
Educational level and 5-year all-cause mortality in the Hypertension Detection and Follow-up Program, 641
Electrocardiographic changes during antihypertensive therapy in the International Prospective Primary Prevention Study in Hypertension, III-69
Future directions in the use of echocardiography, II-77
Influence of blood pressure on development of aortic medial smooth muscle hypertrophy in spontaneously hypertensive rats, 178
Is β_1-antagonism essential for the antihypertensive action of β-blockers? 198
Multicenter clinical trials: potential influence of consumer education, III-75
The opioid peptides: a role in hypertension? 561 (BR)
Vascular reactivity in the spontaneously hypertensive stroke-prone rat: effect of antihypertensive treatment, 492

Aorta
Doppler echocardiographic assessment of left ventricular systolic and diastolic function in mild hypertension, II-90
The gene for the atrial natriuretic factor is expressed in the aortic arch, 103
Influence of blood pressure on development of aortic medial smooth muscle hypertrophy in spontaneously hypertensive rats, 178
Overall hemodynamic pattern in coarctation of the abdominal aorta in conscious rats, 611

Arginine vasopressin
Analysis of the cardiovascular effects of arginine vasopressin in conscious dogs, 371
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423
A new strain of hypertensive rats with a genetic defect for vasopressin synthesis, I-37

Arterioles
Cell and wall morphology of intestinal arterioles from 4- to 6- and 17- to 19-week-old Wistar-Kyoto and spontaneously hypertensive rats, 59
Microvascular tone in a skeletal muscle of spontaneously hypertensive rats, 164
Reduced electrogenic sodium-potassium pump in arterioles during renovascular hypertension, III-86

Arylamine carboxamides
Synthesis and characterization of arylamine derivatives of rauwolscine as molecular probes for α_2-adrenergic receptors, III-120

Atrial natriuretic factor
Atrial natriuretic factor during development and reversal of one-kidney, one clip hypertension, 144
Atrial natriuretic factor inhibits central angiotensin II pressor responses, 473
Decreased density of vascular receptors for atrial natriuretic peptide in DOCA-salt hypertensive rats, 504
Effects of atrial natriuretic factor on hormone-induced renin release, 513
The gene for the atrial natriuretic factor is expressed in the aortic arch, 103
Inhibition of sympathoadrenal activity by atrial natriuretic factor in dogs, 350
Mapping of the mouse atrial natriuretic factor gene: evidence for tight linkage to the *Fv-1* Locus, 518 (RC)
Phorbol ester, vascular relaxation, and cyclic guanosine 3',5'-monophosphate, III-91
Renin dependency of the effect of chronically administered atrial natriuretic factor in two-kidney, one clip rats, 88

Atriopeptin
Heparin interferes with the biological effectiveness of atriopeptin, 607
Ventricular atriopeptin: unmasking of messenger RNA and peptide synthesis by hypertrophy or dexamethasone, 485

Australian National Blood Pressure Study
Multicenter clinical trials: potential influence of consumer education, III-75

Awards
CIBA award for hypertension research, III-213
Third annual Marion Hypertension Research Clinical Fellowship Award, 1986, III-214

B

Baroreceptor reflexes
Impaired responses of sympathetic nerves to cardiac receptor stimulation in hypertension, 478

The opioid peptides: a role in hypertension? 561 (BR)
Paroxysmal hypertension due to sinoaortic baroreceptor denervation in humans, 309 (CR)

Baroreceptors
The gene for the atrial natriuretic factor is expressed in the aortic arch, 103
Prevention or attenuation of baroreceptor resetting by pulsatility during elevated pressure, III-137

Black population
Double-blind, placebo-controlled trial of potassium chloride in the treatment of mild hypertension, 444
Intracellular calcium and sodium in hypertensive patients, 224
Possible association of MN locus haplotypes with essential hypertension, 634
Red blood cell Na^+,K^+-ATPase in men with newly diagnosed or previously treated essential hypertension, 437
Vertex-corrected blood pressure in black girls: relation to obesity, glucose, and cations, 390

Blood-brain barrier
Mechanisms of protection of the blood-brain barrier during acute hypertension in chronically hypertensive rats, III-101

Blood flow
Demonstration of neuronal and extraneuronal uptake of circulating norepinephrine in the forearm, 647
Dissociation of sympathetic nerve activity in arm and leg muscle during mental stress, III-114
Overall hemodynamic pattern in coarctation of the abdominal aorta in conscious rats, 611
Role of α_1- and α_2-adrenergic receptors in the human hypertensive kidney, III-210
Systemic and regional hemodynamic effects of calcitonin gene–related peptide, III-142

Blood loss
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423

Blood pressure
Absence of hypertension despite chronic marked elevations in plasma norepinephrine in conscious dogs, 582
Alcohol consumption and hypertension, 111
Alerting reaction and rise in blood pressure during measurement by physician and nurse, 209
Antihypertensive and volume-depleting effects of mild exercise on essential hypertension, 245
Atrial natriuretic factor during development and reversal of one-kidney, one clip hypertension, 144
Atrial natriuretic factor inhibits central angiotensin II pressor responses, 473
Blood pressure and physical fitness in children, 188
Blood pressure treatment includes risk factor modification, 420 (L)
Body fat patterning and blood pressure in children and young adults: the Bogalusa Heart Study, 236
Captopril and nifedipine in combination for moderate to severe essential hypertension, 629
Cataracts and hypertension in salt-sensitive rats: a possible ion transport defect, 304
Contribution of bradykinin to maintenance of normal blood pressure, III-147
Cryoblockade of the ventromedial frontal cortex reverses hypertension in the rat, 576
Development of a nonhuman primate model for spontaneous hypertension: blood pressures in first-generation offspring, III-57
Disparate relationships between blood pressure and left ventricular mass in patients with and without left ventricular hypertrophy, II-61
Dissociation of sympathetic nerve activity in arm and leg muscle during mental stress, III-114
Double-blind, placebo-controlled trial of potassium chloride in the treatment of mild hypertension, 444
Educational level and 5-year all-cause mortality in the Hypertension Detection and Follow-up Program, 641
Effects of diltiazem on cation transport across erythrocyte membranes of hypertensive humans, 18
Effects of high potassium or low sodium diet on vascular Na^+,K^+-ATPase activity and blood pressure in young spontaneously hypertensive rats, 571
Electrocardiographic changes during antihypertensive therapy in the International Prospective Primary Prevention Study in Hypertension, III-69
Evidence against a pressor role for vasopressin in spontaneous hypertension, 332
Evidence that prostacyclin mediates the vascular action of magnesium in humans, 379
Exacerbation of hypertension by high chloride, moderate sodium diet in the salt-sensitive spontaneously hypertensive rat, III-171
Heparin interferes with the biological effectiveness of atriopeptin, 607
High calcium diet reduces blood pressure in Dahl salt-sensitive rats by neural mechanisms, III-159
A high phosphate diet lowers blood pressure in spontaneously hypertensive rats, 96
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423
Implications of the clinical trials on the management of hypertension, III-80
Influence of blood pressure on development of aortic medial smooth muscle hypertrophy in spontaneously hypertensive rats, 178
Influence of magnesium on blood pressure and the effect of nifedipine in rats, 139
Is β_1-antagonism essential for the antihypertensive action of β-blockers? 198
Left ventricular hypertrophy in hypertension: prevalence and relationship to pathophysiologic variables, II-53
Measurement of left ventricular wall mass in pediatric populations, II-47
Neurohumoral and hemodynamic responses to dietary calcium supplementation in deoxycorticosterone-salt hypertensive dogs, III-166
The New Zealand strain of genetically hypertensive rats, I-15
Obesity-induced hypertension in the dog, III-64
The opioid peptides: a role in hypertension? 561 (BR)
Opposite central cardiovascular effects of nifedipine and BAY k 8644 in anesthetized rats, 132
Paroxysmal hypertension due to sinoaortic baroreceptor denervation in humans, 309 (CR)
Peripheral dopamine receptors in the antihypertensive action of dihydroergotoxine in humans, 35
Plasma angiotensins and blood pressure during converting enzyme inhibition, III-42
Possible association of MN locus haplotypes with essential hypertension, 634
Prevention or attenuation of baroreceptor resetting by pulsatility during elevated pressure, III-137
Primary hypertension in a colony of dogs, 49
Red blood cell Li^+-Na^+ Countertransport, Na^+-K^+ cotransport, and the hemodynamics of hypertension, 459
The relationship between cations and blood pressure in the People's Republic of China, 654
Renal nerves and the pathogenesis of angiotensin-induced hypertension, 345
Renin dependency of the effect of chronically administered atrial natriuretic factor in two-kidney, one clip rats, 88
Role of animal models in hypertension research, I-2
Sex difference in the development of deoxycorticosterone-salt hypertension in the rat, 172
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24
Systemic and regional hemodynamic effects of calcitonin gene–related peptide, III-142
Techniques for the measurement of blood pressure (rats), I-5
Vertex-corrected blood pressure in black girls: relation to obesity, glucose, and cations, 390
Water loading and restriction in essential hypertension, 407

Blood viscosity
Left ventricular hypertrophy in hypertension: prevalence and relationship to pathophysiologic variables, II-53

Blood volume
Antihypertensive and volume-depleting effects of mild exercise on essential hypertension, 245

Body fat patterning
Body fat patterning and blood pressure in children and young adults: the Bogalusa Heart Study, 236

Body size
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24
Body surface area
Effect of age, sex, and body surface area on echocardiographic left ventricular wall mass in normal subjects, II-36
Bogalusa Heart Study
Body fat patterning and blood pressure in children and young adults: the Bogalusa Heart Study, 236
Bradykinin
Characterization of vascular relaxant factor released from cultured endothelial cells, 295
Contribution of bradykinin to maintenance of normal blood pressure, III-147
Conversion of B_1 kinin receptor–mediated vascular relaxation to contraction, III-1
Brain
Angiotensin II receptors and angiotensin converting enzyme in the medulla oblongata, III-198
The area postrema in deoxycorticosterone-salt hypertension in rats, III-206
Area postrema is critical for angiotensin-induced hypertension in rats, 355
Central α_2-adrenergic stimulation increases neurointermediate lobe immunoreactive β-endorphin in spontaneously hypertensive rats, 566
Cryoblockade of the ventromedial frontal cortex reverses hypertension in the rat, 576
Enhanced cerebral vascular regulation occurs by age 4 to 5 weeks in spontaneously hypertensive rats, 325
Exacerbation of hypertension by high chloride, moderate sodium diet in the salt-sensitive spontaneously hypertensive rat, III-171
Partial characterization of a renin-releasing factor from plasma and hypothalamus, 598
Responsiveness of locus ceruleus neurons in hypertensive rats to vasopressin, III-110
Synthesis and characterization of arylamine derivatives of rauwolscine as molecular probes for α_2-adrenergic receptors, III-120
Breeding
Dahl salt-sensitive and salt-resistant rats, I-18
Development of a nonhuman primate model for spontaneous hypertension: blood pressures in first-generation offspring, III-57
Development of inbred Dahl salt-sensitive and inbred Dahl salt-resistant rats, I-21
The Fawn-hooded rat, I-34
Genetic considerations (rats), I-7
The Lyon model of genetic hypertension in the rat, I-27
Management of a spontaneously hypertensive rat breeding colony, I-8
The Milan hypertensive strain of rats and its control normotensive strain, I-30
A new strain of hypertensive rats with a genetic defect for vasopressin synthesis, I-37
The New Zealand strain of genetically hypertensive rats, I-15
Sabra hypertension-prone and hypertension-resistant rats, I-24
Spontaneously hypertensive rats, I-13
Brief reviews
Alcohol consumption and hypertension, 111
Calmodulin and calcium channel blockers, 217 (BR)
The opioid peptides: a role in hypertension? 561 (BR)
The search for a hypothalamic Na^+,K^+-ATPase inhibitor, 315 (BR)

C

Calcitonin gene–related peptide
Angiotensin II receptors and angiotensin converting enzyme in the medulla oblongata, III-198
Systemic and regional hemodynamic effects of calcitonin gene–related peptide, III-142
Calcium
Electron spin resonance studies of erythrocytes from spontaneously hypertensive rats and humans with essential hypertension, III-19
Enhanced vascular reactivity to protein kinase C activators in genetically hypertensive rats, III-150
High calcium diet reduces blood pressure in Dahl salt-sensitive rats by neural mechanisms, III-159
Increased basal and thrombin-induced free calcium in platelets of essential hypertensive patients, 230
Intracellular calcium and sodium in hypertensive patients, 224
Neurohumoral and hemodynamic responses to dietary calcium supplementation in deoxycorticosterone-salt hypertensive dogs, III-166
The relationship between cations and blood pressure in the People's Republic of China, 654
Vascular reactivity in the spontaneously hypertensive stroke-prone rat: effect of antihypertensive treatment, 492
Vertex-corrected blood pressure in black girls: relation to obesity, glucose, and cations, 390
Calcium channel blockers
Calmodulin and calcium channel blockers, 217 (BR)
Effects of diltiazem on cation transport across erythrocyte membranes of hypertensive humans, 18
Exaggerated renal vasodilator response to calcium entry blockade in first-degree relatives of essential hypertensive subjects, 384
Opposite central cardiovascular effects of nifedipine and BAY k 8644 in anesthetized rats, 132
Calcium ionophore
Characterization of vascular relaxant factor released from cultured endothelial cells, 295
Calmodulin
Calmodulin and calcium channel blockers, 217 (BR)
Captopril
Captopril and nifedipine in combination for moderate to severe essential hypertension, 629
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Influence of blood pressure on development of aortic medial smooth muscle hypertrophy in spontaneously hypertensive rats, 178
Renovascular hypertension identified by captopril-induced changes in the renogram, 451
Cardiac hypertrophy (*see also* Ventricular hypertrophy)
Absence of hypertension despite chronic marked elevations in plasma norepinephrine in conscious dogs, 582
A factor that initiates myocardial hypertrophy in hypertension, 261
Future directions in the use of echocardiography, II-77
Overall hemodynamic pattern in coarctation of the abdominal aorta in conscious rats, 611
Ventricular atriopeptin: unmasking of messenger RNA and peptide synthesis by hypertrophy or dexamethasone, 485
Cardiovascular system
Analysis of the cardiovascular effects of arginine vasopressin in conscious dogs, 371
Cardiovascular responses to acute stress in young-to-old spontaneously hypertensive rats, 362
Case reports
Paroxysmal hypertension due to sinoaortic baroreceptor denervation in humans, 309 (CR)
Cataracts
Cataracts and hypertension in salt-sensitive rats: a possible ion transport defect, 304
Catecholamines
Abnormal adrenal catecholamine synthesis in salt-sensitive Dahl rats, 76
Absence of hypertension despite chronic marked elevations in plasma norepinephrine in conscious dogs, 582
Cardiovascular responses to acute stress in young-to-old spontaneously hypertensive rats, 362
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423
Left ventricular hypertrophy in hypertension: prevalence and relationship to pathophysiologic variables, II-53
Cations
Lymphocyte membrane sodium-proton exchange in spontaneously hypertensive rats, 282
The relationship between cations and blood pressure in the People's Republic of China, 654
Cell cultures
Endothelium-derived relaxing factor in cultured cells, III-186

Presence of angiotensinogen messenger RNA in various cultured cell lines, III-25
Cell morphology
Cell and wall morphology of intestinal arterioles from 4- to 6- and 17- to 19-week-old Wistar-Kyoto and spontaneously hypertensive rats, 59
Central nervous system
Area postrema is critical for angiotensin-induced hypertension in rats, 355
Impaired responses of sympathetic nerves to cardiac receptor stimulation in hypertension, 478
Cerebral circulation
Enhanced cerebral vascular regulation occurs by age 4 to 5 weeks in spontaneously hypertensive rats, 325
Children
Blood pressure and physical fitness in children, 188
Body fat patterning and blood pressure in children and young adults: the Bogalusa Heart Study, 236
Measurement of left ventricular wall mass in pediatric populations, II-47
China
The relationship between cations and blood pressure in the People's Republic of China, 654
Chloride
Exacerbation of hypertension by high chloride, moderate sodium diet in the salt-sensitive spontaneously hypertensive rat, III-171
Chloroamphetamine
Partial characterization of a renin-releasing factor from plasma and hypothalamus, 598
CIBA Award, 1986
CIBA award for hypertension research, III-213
Clinical trials
Implications of the clinical trials on the management of hypertension, III-80
Multicenter clinical trials: potential influence of consumer education, III-75
Clonidine
Central α_2-adrenergic stimulation increases neurointermediate lobe immunoreactive β-endorphin in spontaneously hypertensive rats, 566
Cognitive function
Clinical significance of cognitive performance by hypertensive patients, 192
Cold exposure
Role of sympathetic nervous system in hypotensive action of taurine in DOCA-salt rats, 81
Cold pressor test
Effects of the cold pressor test on muscle sympathetic nerve activity in humans, 429
Consumer education
Multicenter clinical trials: potential influence of consumer education, III-75
Converting enzyme inhibitors
Captopril and nifedipine in combination for moderate to severe essential hypertension, 629
Comparison of a new renin inhibitor and enalaprilat in renal hypertensive dogs, 150
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Plasma angiotensins and blood pressure during converting enzyme inhibition, III-42
Renovascular hypertension identified by captopril-induced changes in the renogram, 451
Role of angiotensin II in the hormonal, renal, and electrolyte response to sodium restriction, 289
Copper
Hypertension-induced alterations in copper and zinc metabolism in Dahl rats, 624
Cow studies
Endothelium-derived relaxing factor in cultured cells, III-186
Cryoblockade
Cryoblockade of the ventromedial frontal cortex reverses hypertension in the rat, 576
Cyclic AMP
Renal α_2-adrenergic receptors and hypertension, 3 (E)
Subpressor infusions of angiotensin II alter glomerular binding, prostaglandin E_2, and cyclic AMP production, III-49
Cyclic GMP
Endothelium-derived relaxing factor in cultured cells, III-186
Phorbol ester, vascular relaxation, and cyclic guanosine 3',5'-monophosphate, III-91
Cyclosporin A
Cyclosporin A–induced hyperreninemic hypoaldosteronism: a model of adrenal resistance to angiotensin II, III-31
Direct augmentation by cyclosporin A of the vascular contractile response to nerve stimulation, III-96

D

Dahl rats
Abnormal adrenal catecholamine synthesis in salt-sensitive Dahl rats, 76
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193
Cataracts and hypertension in salt-sensitive rats: a possible ion transport defect, 304
Dahl salt-sensitive and salt-resistant rats, I-18
Development of inbred Dahl salt-sensitive and inbred Dahl salt-resistant rats, I-21
Endothelium-dependent vascular responses in normotensive and hypertensive Dahl rats, 157
High calcium diet reduces blood pressure in Dahl salt-sensitive rats by neural mechanisms, III-159
Hypertension-induced alterations in copper and zinc metabolism in Dahl rats, 624
Revised nomenclature of hypertensive rat strains, 110 (SR)
Dehydration
Analysis of the cardiovascular effects of arginine vasopressin in conscious dogs, 371
Deoxycorticosterone-salt hypertension
The area postrema in deoxycorticosterone-salt hypertension in rats, III-206
Cryoblockade of the ventromedial frontal cortex reverses hypertension in the rat, 576
Decreased density of vascular receptors for atrial natriuretic peptide in DOCA-salt hypertensive rats, 504
Inhibition of nuclear polyploidy by propranolol in aortic smooth muscle cells of hypertensive rats, III-106
Neurohumoral and hemodynamic responses to dietary calcium supplementation in deoxycorticosterone-salt hypertensive dogs, III-166
Responsiveness of locus ceruleus neurons in hypertensive rats to vasopressin, III-110
Role of sympathetic nervous system in hypotensive action of taurine in DOCA-salt rats, 81
Sex difference in the development of deoxycorticosterone-salt hypertension in the rat, 172
Vascular responsiveness to serotonin metabolites in mineralocorticoid hypertension, 277
Desipramine
Demonstration of neuronal and extraneuronal uptake of circulating norepinephrine in the forearm, 647
Dexamethasone
Ventricular atriopeptin: unmasking of messenger RNA and peptide synthesis by hypertrophy or dexamethasone, 485
Diabetes insipidus
A new strain of hypertensive rats with a genetic defect for vasopressin synthesis, I-37
Diet
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Effects of high potassium or low sodium diet on vascular Na^+,K^+-ATPase activity and blood pressure in young spontaneously hypertensive rats, 571
Endothelium-dependent vascular responses in normotensive and hypertensive Dahl rats, 157
Exacerbation of hypertension by high chloride, moderate sodium diet in the salt-sensitive spontaneously hypertensive rat, III-171
High calcium diet reduces blood pressure in Dahl salt-sensitive rats by neural mechanisms, III-159

A high phosphate diet lowers blood pressure in spontaneously hypertensive rats, 96
Hypertension-induced alterations in copper and zinc metabolism in Dahl rats, 624
Neurohumoral and hemodynamic responses to dietary calcium supplementation in deoxycorticosterone-salt hypertensive dogs, III-166
Nutrition (rats), I-11
Dihydroergotoxine
Peripheral dopamine receptors in the antihypertensive action of dihydroergotoxine in humans, 35
Dihydropyridine
Opposite central cardiovascular effects of nifedipine and BAY k 8644 in anesthetized rats, 132
Dihydroxyphenylacetic acid
Peripheral dopamine receptors in the antihypertensive action of dihydroergotoxine in humans, 35
Diltiazem
Effects of diltiazem on cation transport across erythrocyte membranes of hypertensive humans, 18
Exaggerated renal vasodilator response to calcium entry blockade in first-degree relatives of essential hypertensive subjects, 384
Diuresis
Altered pressure-natriuresis relationship in young spontaneously hypertensive rats, III-130
Heparin interferes with the biological effectiveness of atriopeptin, 607
Water loading and restriction in essential hypertension, 407
Diuretics
Implications of the clinical trials on the management of hypertension, III-80
Red blood cell Na^+,K^+-ATPase in men with newly diagnosed or previously treated essential hypertension, 437
DNA
Presence of angiotensinogen messenger RNA in various cultured cell lines, III-25
Dog studies
Absence of hypertension despite chronic marked elevations in plasma norepinephrine in conscious dogs, 582
Analysis of the cardiovascular effects of arginine vasopressin in conscious dogs, 371
Changes in hemodynamics and myocardial contractility during chronic sodium depletion in conscious dogs, III-176
Comparison of a new renin inhibitor and enalaprilat in renal hypertensive dogs, 150
Effects of atrial natriuretic factor on hormone-induced renin release, 513
Inhibition of sympathoadrenal activity by atrial natriuretic factor in dogs, 350
Neurohumoral and hemodynamic responses to dietary calcium supplementation in deoxycorticosterone-salt hypertensive dogs, III-166
Obesity-induced hypertension in the dog, III-64
Platelet activating factor vasoconstriction of dog kidney: inhibition by alprazolam, 253
Preserved cardiac β-adrenergic sensitivity in early renovascular hypertension, 467
Prevention or attenuation of baroreceptor resetting by pulsatility during elevated pressure, III-137
Primary hypertension in a colony of dogs, 49
Domperidone
Peripheral dopamine receptors in the antihypertensive action of dihydroergotoxine in humans, 35
Dopamine
Abnormal adrenal catecholamine synthesis in salt-sensitive Dahl rats, 76
Absence of hypertension despite chronic marked elevations in plasma norepinephrine in conscious dogs, 582
Peripheral dopamine receptors in the antihypertensive action of dihydroergotoxine in humans, 35
Doppler echocardiography
Doppler echocardiographic assessment of left ventricular systolic and diastolic function in mild hypertension, II-90
Recommendations concerning use of echocardiography in hypertension and general population research, II-97
Doxazosin
Role of α_1- and α_2-adrenergic receptors in the human hypertensive kidney, III-210

E

Echocardiography
Application of echocardiography to population-based research projects, II-45
Considerations in the standardization of measurement of left ventricular myocardial mass by two-dimensional echocardiography, II-33
Considerations in the use of echocardiography in epidemiology: the Framingham Study, II-40
Cost-effectiveness of echocardiography and electrocardiography for detection of left ventricular hypertrophy in patients with systemic hypertension, II-69
Detection of left ventricular hypertrophy by M-mode echocardiography: anatomic validation, standardization, and comparison to other methods, II-19
Disparate relationships between blood pressure and left ventricular mass in patients with and without left ventricular hypertrophy, II-61
Doppler echocardiographic assessment of left ventricular systolic and diastolic function in mild hypertension, II-90
Echocardiographic assessment of left ventricular diastolic performance in hypertensive subjects: correlation with changes in left ventricular mass, II-81
Echocardiographic studies of regression of left ventricular hypertrophy in hypertension, II-65
Effect of age, sex, and body surface area on echocardiographic left ventricular wall mass in normal subjects, II-36
Future directions in the use of echocardiography, II-77
Geometric considerations in determination of left ventricular mass by two-dimensional echocardiography, II-85
Hypertension research: echocardiography in the measurement of left ventricular wall mass, II-2
Left ventricular hypertrophy in hypertension: prevalence and relationship to pathophysiologic variables, II-53
Measurement of left ventricular wall mass in pediatric populations, II-47
Recommendations concerning use of echocardiography in hypertension and general population research, II-97
Reproducibility of echocardiographic left ventricular measurements, II-6
Standardization in the measurement of left ventricular wall mass: M-mode echocardiography, II-27
Standardization in the measurement of left ventricular wall mass: two-dimensional echocardiography, II-30
Editorials
1986 — A Banner Year, 1 (E)
Educational level
Educational level and 5-year all-cause mortality in the Hypertension Detection and Follow-up Program, 641
Electrocardiography
Cost-effectiveness of echocardiography and electrocardiography for detection of left ventricular hypertrophy in patients with systemic hypertension, II-69
Electrocardiographic changes during antihypertensive therapy in the International Prospective Primary Prevention Study in Hypertension, III-69
Electron spin resonance
Electron spin resonance studies of erythrocytes from spontaneously hypertensive rats and humans with essential hypertension, III-19
Enalapril
Plasma angiotensins and blood pressure during converting enzyme inhibition, III-42
Role of angiotensin II in the hormonal, renal, and electrolyte response to sodium restriction, 289
Endorphins
Central α_2-adrenergic stimulation increases neurointermediate lobe immunoreactive β-endorphin in spontaneously hypertensive rats, 566
Endothelium-dependent relaxation
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193

Endothelium-derived relaxing factor
Characterization of vascular relaxant factor released from cultured endothelial cells, 295
Endothelium-dependent vascular responses in normotensive and hypertensive Dahl rats, 157
Endothelium-derived relaxing factor in cultured cells, III-186
Increased vasodilator responses to acetylcholine in psychosocial hypertensive mice, 268
Enzyme inhibition (*see also* Converting enzyme inhibitors)
The search for a hypothalamic Na^+,K^+-ATPase inhibitor, 315 (BR)
Epidemiology
Application of echocardiography to population-based research projects, II-45
Considerations in the use of echocardiography in epidemiology: the Framingham Study, II-40
Future directions in the use of echocardiography, II-77
Measurement of left ventricular wall mass in pediatric populations, II-47
Recommendations concerning use of echocardiography in hypertension and general population research, II-97
Epinephrine
Abnormal adrenal catecholamine synthesis in salt-sensitive Dahl rats, 76
Absence of hypertension despite chronic marked elevations in plasma norepinephrine in conscious dogs, 582
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423
Increased basal and thrombin-induced free calcium in platelets of essential hypertensive patients, 230
Inhibition of sympathoadrenal activity by atrial natriuretic factor in dogs, 350
Errata
Endothelium-dependent responses to platelets and serotonin in spontaneously hypertensive rats (1986;8[suppl II]:II-55–II-60), 421
Insulin as a potential factor influencing blood pressure in amputees (1986;8:793–800), 421
Is β_1-Antagonism essential for the antihypertensive action of β-blockers? (1987;9:198–203), 521
[^{3}H]Ouabain binding of red blood cells in whites and blacks (1986;8:1050–1057), 421
Essential hypertension
Antihypertensive and volume-depleting effects of mild exercise on essential hypertension, 245
Captopril and nifedipine in combination for moderate to severe essential hypertension, 629
Clinical significance of cognitive performance by hypertensive patients, 192
Echocardiographic assessment of left ventricular diastolic performance in hypertensive subjects: correlation with changes in left ventricular mass, II-81
Electron spin resonance studies of erythrocytes from spontaneously hypertensive rats and humans with essential hypertension, III-19
Exaggerated renal vasodilator response to calcium entry blockade in first-degree relatives of essential hypertensive subjects, 384
A high phosphate diet lowers blood pressure in spontaneously hypertensive rats, 96
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423
Increased basal and thrombin-induced free calcium in platelets of essential hypertensive patients, 230
Peripheral dopamine receptors in the antihypertensive action of dihydroergotoxine in humans, 35
Plasma norepinephrine and age as determinants of systemic hemodynamics in men with established essential hypertension, 415
Possible association of MN locus haplotypes with essential hypertension, 634
Primary hypertension in a colony of dogs, 49
Red blood cell Na^+,K^+-ATPase in men with newly diagnosed or previously treated essential hypertension, 437
Role of animal models in hypertension research, I-2
The search for a hypothalamic Na^+,K^+-ATPase inhibitor, 315 (BR)
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24
Spontaneously hypertensive rats, I-13
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155
European Working Party on Hypertension in the Elderly
Implications of the clinical trials on the management of hypertension, III-80
Exercise
Antihypertensive and volume-depleting effects of mild exercise on essential hypertension, 245

F

Family history
Exaggerated renal vasodilator response to calcium entry blockade in first-degree relatives of essential hypertensive subjects, 384
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24
Fawn-hooded rats
The Fawn-hooded rat, I-34
Framingham Study
Considerations in the use of echocardiography in epidemiology: the Framingham Study, II-40
Friend virus susceptibility-1
Mapping of the mouse atrial natriuretic factor gene: evidence for tight linkage to the *Fv-1* Locus, 518 (RC)

G

Genetically hypertensive rats
The New Zealand strain of genetically hypertensive rats, I-15
Revised nomenclature of hypertensive rat strains, 110 (SR)
Genetic hypertension
Dahl salt-sensitive and salt-resistant rats, I-18
Development of a nonhuman primate model for spontaneous hypertension: blood pressures in first-generation offspring, III-57
Development of inbred Dahl salt-sensitive and inbred Dahl salt-resistant rats, I-21
The Fawn-hooded rat, I-34
The Lyon model of genetic hypertension in the rat, I-27
The Milan hypertensive strain of rats and its control normotensive strain, I-30
A new strain of hypertensive rats with a genetic defect for vasopressin synthesis, I-37
The New Zealand strain of genetically hypertensive rats, I-15
Renal α_2-adrenergic receptors and hypertension, 3 (E)
Role of animal models in hypertension research, I-2
Sabra hypertension-prone and hypertension-resistant rats, I-24
Spontaneously hypertensive rats, I-13
Genetics
The gene for the atrial natriuretic factor is expressed in the aortic arch, 103
Genetic considerations (rats), I-7
Management of a spontaneously hypertensive rat breeding colony, I-8
Mapping of the mouse atrial natriuretic factor gene: evidence for tight linkage to the *Fv-1* Locus, 518 (RC)
Possible association of MN locus haplotypes with essential hypertension, 634
Primary hypertension in a colony of dogs, 49
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155
Tissue-specific regulation of renin expression in the mouse, III-36
Geriatric hypertension
The prognosis of hypertension according to age at onset, 204
Glomerulus
Subpressor infusions of angiotensin II alter glomerular binding, prostaglandin E_2, and cyclic AMP production, III-49
Glycoside
The search for a hypothalamic Na^+,K^+-ATPase inhibitor, 315 (BR)
Goldblatt hypertension
Atrial natriuretic factor during development and reversal of one-kidney, one clip hypertension, 144
Renin dependency of the effect of chronically administered atrial natriuretic factor in two-kidney, one clip rats, 88

Grollman hypertension
Reduced electrogenic sodium-potassium pump in arterioles during renovascular hypertension, III-86

H

Hamster studies
Reduced electrogenic sodium-potassium pump in arterioles during renovascular hypertension, III-86
Heart rate
Dissociation of sympathetic nerve activity in arm and leg muscle during mental stress, III-114
Hemodynamics
Cardiovascular responses to acute stress in young-to-old spontaneously hypertensive rats, 362
Changes in hemodynamics and myocardial contractility during chronic sodium depletion in conscious dogs, III-176
Hemodynamic characteristics of sodium-sensitive human subjects, 398
Overall hemodynamic pattern in coarctation of the abdominal aorta in conscious rats, 611
Plasma norepinephrine and age as determinants of systemic hemodynamics in men with established essential hypertension, 415
Red blood cell Li^+-Na^+ Countertransport, Na^+-K^+ cotransport, and the hemodynamics of hypertension, 459
Systemic and regional hemodynamic effects of calcitonin gene–related peptide, III-142
Heparin
Heparin interferes with the biological effectiveness of atriopeptin, 607
HLA haplotypes
Possible association of MN locus haplotypes with essential hypertension, 634
Human studies
Alcohol consumption and hypertension, 111
Alerting reaction and rise in blood pressure during measurement by physician and nurse, 209
Angiotensin II receptors and angiotensin converting enzyme in the medulla oblongata, III-198
Antihypertensive and volume-depleting effects of mild exercise on essential hypertension, 245
Blood pressure and physical fitness in children, 188
Body fat patterning and blood pressure in children and young adults: the Bogalusa Heart Study, 236
Captopril and nifedipine in combination for moderate to severe essential hypertension, 629
Clinical significance of cognitive performance by hypertensive patients, 192
Considerations in the use of echocardiography in epidemiology: the Framingham Study, II-40
Cost-effectiveness of echocardiography and electrocardiography for detection of left ventricular hypertrophy in patients with systemic hypertension, II-69
Demonstration of neuronal and extraneuronal uptake of circulating norepinephrine in the forearm, 647
Detection of left ventricular hypertrophy by M-mode echocardiography: anatomic validation, standardization, and comparison to other methods, II-19
Difference between human red blood cell Na^+-Li^+ countertransport and renal Na^+-H^+ exchange, 7
Disparate relationships between blood pressure and left ventricular mass in patients with and without left ventricular hypertrophy, II-61
Dissociation of sympathetic nerve activity in arm and leg muscle during mental stress, III-114
Doppler echocardiographic assessment of left ventricular systolic and diastolic function in mild hypertension, II-90
Double-blind, placebo-controlled trial of potassium chloride in the treatment of mild hypertension, 444
Echocardiographic assessment of left ventricular diastolic performance in hypertensive subjects: correlation with changes in left ventricular mass, II-81
Educational level and 5-year all-cause mortality in the Hypertension Detection and Follow-up Program, 641
Effect of age, sex, and body surface area on echocardiographic left ventricular wall mass in normal subjects, II-36
Effect of cold pressor test–induced stress on leukocyte sodium transport and norepinephrine, 13
Effects of diltiazem on cation transport across erythrocyte membranes of hypertensive humans, 18
Effects of the cold pressor test on muscle sympathetic nerve activity in humans, 429
Electrocardiographic changes during antihypertensive therapy in the International Prospective Primary Prevention Study in Hypertension, III-69
Electron spin resonance studies of erythrocytes from spontaneously hypertensive rats and humans with essential hypertension, III-19
Evidence that prostacyclin mediates the vascular action of magnesium in humans, 379
Exaggerated renal vasodilator response to calcium entry blockade in first-degree relatives of essential hypertensive subjects, 384
Hemodynamic characteristics of sodium-sensitive human subjects, 398
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423
Increased basal and thrombin-induced free calcium in platelets of essential hypertensive patients, 230
Intracellular calcium and sodium in hypertensive patients, 224
Is β_1-antagonism essential for the antihypertensive action of β-blockers? 198
Measurement of left ventricular wall mass in pediatric populations, II-47
The opioid peptides: a role in hypertension? 561 (BR)
Paroxysmal hypertension due to sinoaortic baroreceptor denervation in humans, 309 (CR)
Peripheral dopamine receptors in the antihypertensive action of dihydroergotoxine in humans, 35
Plasma norepinephrine and age as determinants of systemic hemodynamics in men with established essential hypertension, 415
Possible association of MN locus haplotypes with essential hypertension, 634
The prognosis of hypertension according to age at onset, 204
Red blood cell Li^+-Na^+ Countertransport, Na^+-K^+ cotransport, and the hemodynamics of hypertension, 459
Red blood cell Na^+,K^+-ATPase in men with newly diagnosed or previously treated essential hypertension, 437
Reduced sodium concentration and increased sodium-potassium pump activity of erythrocytes in human hypertension, III-13
The relationship between cations and blood pressure in the People's Republic of China, 654
Renovascular hypertension identified by captopril-induced changes in the renogram, 451
Role of α_1- and α_2-adrenergic receptors in the human hypertensive kidney, III-210
Role of angiotensin II in the hormonal, renal, and electrolyte response to sodium restriction, 289
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155
Synthesis and characterization of arylamine derivatives of rauwolscine as molecular probes for α_2-adrenergic receptors, III-120
Vertex-corrected blood pressure in black girls: relation to obesity, glucose, and cations, 390
Water loading and restriction in essential hypertension, 407
Hydralazine
Influence of blood pressure on development of aortic medial smooth muscle hypertrophy in spontaneously hypertensive rats, 178
Vascular reactivity in the spontaneously hypertensive stroke-prone rat: effect of antihypertensive treatment, 492
Hydrochlorothiazide
Vascular reactivity in the spontaneously hypertensive stroke-prone rat: effect of antihypertensive treatment, 492
Hydrocortisone
Demonstration of neuronal and extraneuronal uptake of circulating norepinephrine in the forearm, 647
Hypertension Detection and Follow-up Program
Educational level and 5-year all-cause mortality in the Hypertension Detection and Follow-up Program, 641

Implications of the clinical trials on the management of hypertension, III-80
Multicenter clinical trials: potential influence of consumer education, III-75
Hypertension journal
1986 — A Banner Year, 1 (E)
A Note of Thanks to Reviewers, 107
Hypothalamus
Partial characterization of a renin-releasing factor from plasma and hypothalamus, 598
The search for a hypothalamic Na^+,K^+-ATPase inhibitor, 315 (BR)

I

Idiopathic hypertrophic subaortic stenosis
Future directions in the use of echocardiography, II-77
Immunoreactivity
Central α_2-adrenergic stimulation increases neurointermediate lobe immunoreactive β-endorphin in spontaneously hypertensive rats, 566
Heparin interferes with the biological effectiveness of atriopeptin, 607
Indomethacin
Conversion of B_1 kinin receptor–mediated vascular relaxation to contraction, III-1
Insulin
Obesity-induced hypertension in the dog, III-64
International Prospective Primary Prevention Study in Hypertension
Electrocardiographic changes during antihypertensive therapy in the International Prospective Primary Prevention Study in Hypertension, III-69
Implications of the clinical trials on the management of hypertension, III-80
Ion transport
Cataracts and hypertension in salt-sensitive rats: a possible ion transport defect, 304
Isoproterenol
Is β_1-antagonism essential for the antihypertensive action of β-blockers? 198
Preserved cardiac β-adrenergic sensitivity in early renovascular hypertension, 467

K

Kallidin
Conversion of B_1 kinin receptor–mediated vascular relaxation to contraction, III-1
Kidney
Altered pressure-natriuresis relationship in young spontaneously hypertensive rats, III-130
Effects of atrial natriuretic factor on hormone-induced renin release, 513
Partial characterization of a renin-releasing factor from plasma and hypothalamus, 598
Prazosin-induced alterations in renal α-adrenergic receptor function, III-125
Renovascular hypertension identified by captopril-induced changes in the renogram, 451
Role of α_1- and α_2-adrenergic receptors in the human hypertensive kidney, III-210
Subpressor infusions of angiotensin II alter glomerular binding, prostaglandin E_2, and cyclic AMP production, III-49

L

Letters to the editor
Blood pressure treatment includes risk factor modification, 420 (L)
Leukocytes
Effect of cold pressor test–induced stress on leukocyte sodium transport and norepinephrine, 13
Lithium transport
Difference between human red blood cell Na^+-Li^+ countertransport and renal Na^+-H^+ exchange, 7
Red blood cell Li^+-Na^+ Countertransport, Na^+-K^+ cotransport, and the hemodynamics of hypertension, 459
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24
Lymphocytes
Lymphocyte membrane sodium-proton exchange in spontaneously hypertensive rats, 282
Lyon rats
The Lyon model of genetic hypertension in the rat, I-27
Revised nomenclature of hypertensive rat strains, 110 (SR)

M

Magnesium
Evidence that prostacyclin mediates the vascular action of magnesium in humans, 379
Influence of magnesium on blood pressure and the effect of nifedipine in rats, 139
The relationship between cations and blood pressure in the People's Republic of China, 654
Marion Award, 1986
Third annual Marion Hypertension Research Clinical Fellowship Award, 1986, III-214
Medical Research Council Trial
Implications of the clinical trials on the management of hypertension, III-80
Membranes
Lymphocyte membrane sodium-proton exchange in spontaneously hypertensive rats, 282
Messenger RNA
Presence of angiotensinogen messenger RNA in various cultured cell lines, III-25
Tissue-specific regulation of renin expression in the mouse, III-36
Ventricular atriopeptin: unmasking of messenger RNA and peptide synthesis by hypertrophy or dexamethasone, 485
Methoxamine
Vascular amplifier properties in renovascular hypertension in conscious rabbits: hindquarter responses to constrictor and dilator stimuli, 122
Microcirculation
Enhanced cerebral vascular regulation occurs by age 4 to 5 weeks in spontaneously hypertensive rats, 325
Hemodynamic characteristics of sodium-sensitive human subjects, 398
Mechanisms of protection of the blood-brain barrier during acute hypertension in chronically hypertensive rats, III-101
Microvascular tone in a skeletal muscle of spontaneously hypertensive rats, 164
Reduced electrogenic sodium-potassium pump in arterioles during renovascular hypertension, III-86
Milan rats
Cytochemically assayable Na^+,K^+-ATPase inhibition by Milan hypertensive rat plasma, 498
The Milan hypertensive strain of rats and its control normotensive strain, I-30
Revised nomenclature of hypertensive rat strains, 110 (SR)
Mild hypertension
Disparate relationships between blood pressure and left ventricular mass in patients with and without left ventricular hypertrophy, II-61
Doppler echocardiographic assessment of left ventricular systolic and diastolic function in mild hypertension, II-90
Double-blind, placebo-controlled trial of potassium chloride in the treatment of mild hypertension, 444
Implications of the clinical trials on the management of hypertension, III-80
Intracellular calcium and sodium in hypertensive patients, 224
Multicenter clinical trials: potential influence of consumer education, III-75

Mitral flow velocity
Doppler echocardiographic assessment of left ventricular systolic and diastolic function in mild hypertension, II-90
Mitral valve prolapse
Future directions in the use of echocardiography, II-77
M-mode echocardiography
Detection of left ventricular hypertrophy by M-mode echocardiography: anatomic validation, standardization, and comparison to other methods, II-19
Disparate relationships between blood pressure and left ventricular mass in patients with and without left ventricular hypertrophy, II-61
Echocardiographic assessment of left ventricular diastolic performance in hypertensive subjects: correlation with changes in left ventricular mass, II-81
Reproducibility of echocardiographic left ventricular measurements, II-6
Standardization in the measurement of left ventricular wall mass: M-mode echocardiography, II-27
Monkey studies
Development of a nonhuman primate model for spontaneous hypertension: blood pressures in first-generation offspring, III-57
Mortality
Educational level and 5-year all-cause mortality in the Hypertension Detection and Follow-up Program, 641
Mouse studies
Increased vasodilator responses to acetylcholine in psychosocial hypertensive mice, 268
Mapping of the mouse atrial natriuretic factor gene: evidence for tight linkage to the *Fv-1* Locus, 518 (RC)
Tissue-specific regulation of renin expression in the mouse, III-36
Multiple Risk Factor Intervention Trial
Multicenter clinical trials: potential influence of consumer education, III-75
Myocardial infarction
Multicenter clinical trials: potential influence of consumer education, III-75
Myocardium
Changes in hemodynamics and myocardial contractility during chronic sodium depletion in conscious dogs, III-176
A factor that initiates myocardial hypertrophy in hypertension, 261
Myosin
Calmodulin and calcium channel blockers, 217 (BR)

N

Naloxone
The opioid peptides: a role in hypertension? 561 (BR)
Natriuresis
Altered pressure-natriuresis relationship in young spontaneously hypertensive rats, III-130
Water loading and restriction in essential hypertension, 407
Nephrectomy
Differences in pattern of plasma angiotensinogen in native and nephrectomized rats, 339
Renal nerves and the pathogenesis of angiotensin-induced hypertension, 345
Nerves (*see also* Renal nerves)
Demonstration of neuronal and extraneuronal uptake of circulating norepinephrine in the forearm, 647
Direct augmentation by cyclosporin A of the vascular contractile response to nerve stimulation, III-96
High calcium diet reduces blood pressure in Dahl salt-sensitive rats by neural mechanisms, III-159
Prazosin-induced alterations in renal α-adrenergic receptor function, III-125
Prevention or attenuation of baroreceptor resetting by pulsatility during elevated pressure, III-137
Responsiveness of locus ceruleus neurons in hypertensive rats to vasopressin, III-110
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155
Systemic and regional hemodynamic effects of calcitonin gene–related peptide, III-142
Nifedipine
Captopril and nifedipine in combination for moderate to severe essential hypertension, 629
Influence of magnesium on blood pressure and the effect of nifedipine in rats, 139
Opposite central cardiovascular effects of nifedipine and BAY k 8644 in anesthetized rats, 132
Nitroprusside
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193
Endothelium-derived relaxing factor in cultured cells, III-186
Increased vasodilator responses to acetylcholine in psychosocial hypertensive mice, 268
Phorbol ester, vascular relaxation, and cyclic guanosine 3',5'-monophosphate, III-91
Nomenclature of hypertensive rat strains
Revised nomenclature of hypertensive rat strains, 110 (SR)
Nonmodulators
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Norepinephrine
Abnormal adrenal catecholamine synthesis in salt-sensitive Dahl rats, 76
Absence of hypertension despite chronic marked elevations in plasma norepinephrine in conscious dogs, 582
Antihypertensive and volume-depleting effects of mild exercise on essential hypertension, 245
Changes in hemodynamics and myocardial contractility during chronic sodium depletion in conscious dogs, III-176
Demonstration of neuronal and extraneuronal uptake of circulating norepinephrine in the forearm, 647
Effect of cold pressor test–induced stress on leukocyte sodium transport and norepinephrine, 13
Effects of atrial natriuretic factor on hormone-induced renin release, 513
Effects of the cold pressor test on muscle sympathetic nerve activity in humans, 429
Endothelium-dependent vascular responses in normotensive and hypertensive Dahl rats, 157
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423
Increased basal and thrombin-induced free calcium in platelets of essential hypertensive patients, 230
Increased vasodilator responses to acetylcholine in psychosocial hypertensive mice, 268
Inhibition of sympathoadrenal activity by atrial natriuretic factor in dogs, 350
Is β_1-antagonism essential for the antihypertensive action of β-blockers? 198
Peripheral dopamine receptors in the antihypertensive action of dihydroergotoxine in humans, 35
Plasma norepinephrine and age as determinants of systemic hemodynamics in men with established essential hypertension, 415
Renal nerves and the pathogenesis of angiotensin-induced hypertension, 345
Role of renal α_2-adrenergic receptors in spontaneously hypertensive rats, 41
Role of sympathetic nervous system in hypotensive action of taurine in DOCA-salt rats, 81
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155
Vascular amplifier properties in renovascular hypertension in conscious rabbits: hindquarter responses to constrictor and dilator stimuli, 122
Vascular reactivity in the spontaneously hypertensive stroke-prone rat: effect of antihypertensive treatment, 492
Nurses
Alerting reaction and rise in blood pressure during measurement by physician and nurse, 209
Nutrition
Nutrition (rats), I-11

O

Obesity
Body fat patterning and blood pressure in children and young adults: the Bogalusa Heart Study, 236
Considerations in the use of echocardiography in epidemiology: the Framingham Study, II-40
Obesity-induced hypertension in the dog, III-64
Vertex-corrected blood pressure in black girls: relation to obesity, glucose, and cations, 390
Opioid peptides
The opioid peptides: a role in hypertension? 561 (BR)
Oriental population
The relationship between cations and blood pressure in the People's Republic of China, 654
Ouabain
Increased basal and thrombin-induced free calcium in platelets of essential hypertensive patients, 230
Red blood cell Na^+,K^+-ATPase in men with newly diagnosed or previously treated essential hypertension, 437
Reduced electrogenic sodium-potassium pump in arterioles during renovascular hypertension, III-86
Reduced sodium concentration and increased sodium-potassium pump activity of erythrocytes in human hypertension, III-13
Oxyprenolol
Electrocardiographic changes during antihypertensive therapy in the International Prospective Primary Prevention Study in Hypertension, III-69

P

Paroxysmal hypertension
Paroxysmal hypertension due to sinoaortic baroreceptor denervation in humans, 309 (CR)
Peptides
Angiotensin II receptors and angiotensin converting enzyme in the medulla oblongata, III-198
Contribution of bradykinin to maintenance of normal blood pressure, III-147
Heparin interferes with the biological effectiveness of atriopeptin, 607
The opioid peptides: a role in hypertension? 561 (BR)
Systemic and regional hemodynamic effects of calcitonin gene–related peptide, III-142
Percutaneous transluminal angioplasty
Renovascular hypertension identified by captopril-induced changes in the renogram, 451
Phlebotomy
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423
Phosphate
A high phosphate diet lowers blood pressure in spontaneously hypertensive rats, 96
Phosphoinositides
Angiotensin II stimulation of vascular smooth muscle phosphoinositide metabolism: state of the art lecture, III-181
Physical fitness
Blood pressure and physical fitness in children, 188
Physicians
Alerting reaction and rise in blood pressure during measurement by physician and nurse, 209
Pig studies
Endothelium-derived relaxing factor in cultured cells, III-186
Synthesis and characterization of arylamine derivatives of rauwolscine as molecular probes for α_2-adrenergic receptors, III-120
Plasma
Cytochemically assayable Na^+,K^+-ATPase inhibition by Milan hypertensive rat plasma, 498
Plasma renin activity
Hormonal responses and blood pressure maintenance in normal and hypertensive subjects during acute blood loss, 423
Renin dependency of the effect of chronically administered atrial natriuretic factor in two-kidney, one clip rats, 88
Platelets
Increased basal and thrombin-induced free calcium in platelets of essential hypertensive patients, 230
Platelet activating factor vasoconstriction of dog kidney: inhibition by alprazolam, 253
Salt-induced plasma factor that inhibits platelet thromboxane A_2 release and renal prostaglandin E_2 production in rats, III-6
Synthesis and characterization of arylamine derivatives of rauwolscine as molecular probes for α_2-adrenergic receptors, III-120
Polyploidy
Inhibition of nuclear polyploidy by propranolol in aortic smooth muscle cells of hypertensive rats, III-106
Potassium
Cyclosporin A–induced hyperreninemic hypoaldosteronism: a model of adrenal resistance to angiotensin II, III-31
Double-blind, placebo-controlled trial of potassium chloride in the treatment of mild hypertension, 444
Effects of high potassium or low sodium diet on vascular Na^+,K^+-ATPase activity and blood pressure in young spontaneously hypertensive rats, 571
Intracellular calcium and sodium in hypertensive patients, 224
Reduced sodium concentration and increased sodium-potassium pump activity of erythrocytes in human hypertension, III-13
The relationship between cations and blood pressure in the People's Republic of China, 654
Vascular reactivity in the spontaneously hypertensive stroke-prone rat: effect of antihypertensive treatment, 492
Prazosin
Prazosin-induced alterations in renal α-adrenergic receptor function, III-125
Renal α_2-adrenergic receptors and hypertension, 3 (E)
Role of renal α_2-adrenergic receptors in spontaneously hypertensive rats, 41
Pressor response
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Propranolol
Influence of blood pressure on development of aortic medial smooth muscle hypertrophy in spontaneously hypertensive rats, 178
Inhibition of nuclear polyploidy by propranolol in aortic smooth muscle cells of hypertensive rats, III-106
Is β_1-antagonism essential for the antihypertensive action of β-blockers? 198
Prostacyclin
Effects of atrial natriuretic factor on hormone-induced renin release, 513
Evidence that prostacyclin mediates the vascular action of magnesium in humans, 379
Prostaglandins
Conversion of B_1 kinin receptor–mediated vascular relaxation to contraction, III-1
Evidence that prostacyclin mediates the vascular action of magnesium in humans, 379
Inhibition of renin release by analogues of adenosine in rabbit renal cortical slices, 619
Salt-induced plasma factor that inhibits platelet thromboxane A_2 release and renal prostaglandin E_2 production in rats, III-6
Subpressor infusions of angiotensin II alter glomerular binding, prostaglandin E_2, and cyclic AMP production, III-49
Protamine
Heparin interferes with the biological effectiveness of atriopeptin, 607
Protein kinase C
Angiotensin II stimulation of vascular smooth muscle phosphoinositide metabolism: state of the art lecture, III-181
Enhanced vascular reactivity to protein kinase C activators in genetically hypertensive rats, III-150
Protein synthesis
A factor that initiates myocardial hypertrophy in hypertension, 261
Psychosocial hypertension
Increased vasodilator responses to acetylcholine in psychosocial hypertensive mice, 268

Pulsatility
Prevention or attenuation of baroreceptor resetting by pulsatility during elevated pressure, III-137

R

Rabbit studies
Angiotensin II receptors and angiotensin converting enzyme in the medulla oblongata, III-198
Conversion of B_1 kinin receptor–mediated vascular relaxation to contraction, III-1
Difference between human red blood cell Na^+-Li^+ countertransport and renal Na^+-H^+ exchange, 7
Impaired responses of sympathetic nerves to cardiac receptor stimulation in hypertension, 478
Inhibition of renin release by analogues of adenosine in rabbit renal cortical slices, 619
Vascular amplifier properties in renovascular hypertension in conscious rabbits: hindquarter responses to constrictor and dilator stimuli, 122
Race (*see also* Black population, Oriental population)
Antihypertensive and volume-depleting effects of mild exercise on essential hypertension, 245
Body fat patterning and blood pressure in children and young adults: the Bogalusa Heart Study, 236
Left ventricular hypertrophy in hypertension: prevalence and relationship to pathophysiologic variables, II-53
Rapid communications
Mapping of the mouse atrial natriuretic factor gene: evidence for tight linkage to the *Fv-1* Locus, 518 (RC)
Rat models of hypertension
Dahl salt-sensitive and salt-resistant rats, I-18
Development of inbred Dahl salt-sensitive and inbred Dahl salt-resistant rats, I-21
The Fawn-hooded rat, I-34
Genetic considerations (rats), I-7
The Lyon model of genetic hypertension in the rat, I-27
Management of a spontaneously hypertensive rat breeding colony, I-8
The Milan hypertensive strain of rats and its control normotensive strain, I-30
A new strain of hypertensive rats with a genetic defect for vasopressin synthesis, I-37
The New Zealand strain of genetically hypertensive rats, I-15
Nutrition (rats), I-11
Role of animal models in hypertension research, I-2
Sabra hypertension-prone and hypertension-resistant rats, I-24
Spontaneously hypertensive rats, I-13
Techniques for the measurement of blood pressure (rats), I-5
Rat studies
Abnormal adrenal catecholamine synthesis in salt-sensitive Dahl rats, 76
Altered pressure-natriuresis relationship in young spontaneously hypertensive rats, III-130
Angiotensin II receptors and angiotensin converting enzyme in the medulla oblongata, III-198
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193
The area postrema in deoxycorticosterone-salt hypertension in rats, III-206
Area postrema is critical for angiotensin-induced hypertension in rats, 355
Atrial natriuretic factor during development and reversal of one-kidney, one clip hypertension, 144
Atrial natriuretic factor inhibits central angiotensin II pressor responses, 473
Cardiovascular responses to acute stress in young-to-old spontaneously hypertensive rats, 362
Cataracts and hypertension in salt-sensitive rats: a possible ion transport defect, 304
Cell and wall morphology of intestinal arterioles from 4- to 6- and 17- to 19-week-old Wistar-Kyoto and spontaneously hypertensive rats, 59
Central α_2-adrenergic stimulation increases neurointermediate lobe immunoreactive β-endorphin in spontaneously hypertensive rats, 566
Contribution of bradykinin to maintenance of normal blood pressure, III-147
Cryoblockade of the ventromedial frontal cortex reverses hypertension in the rat, 576
Cyclosporin A–induced hyperreninemic hypoaldosteronism: a model of adrenal resistance to angiotensin II, III-31
Cytochemically assayable Na^+,K^+-ATPase inhibition by Milan hypertensive rat plasma, 498
Decreased density of vascular receptors for atrial natriuretic peptide in DOCA-salt hypertensive rats, 504
Differences in pattern of plasma angiotensinogen in native and nephrectomized rats, 339
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Direct augmentation by cyclosporin A of the vascular contractile response to nerve stimulation, III-96
Effects of high potassium or low sodium diet on vascular Na^+,K^+-ATPase activity and blood pressure in young spontaneously hypertensive rats, 571
Endothelium-dependent vascular responses in normotensive and hypertensive Dahl rats, 157
Endothelium-derived relaxing factor in cultured cells, III-186
Enhanced cerebral vascular regulation occurs by age 4 to 5 weeks in spontaneously hypertensive rats, 325
Enhanced vascular reactivity to protein kinase C activators in genetically hypertensive rats, III-150
Evidence against a pressor role for vasopressin in spontaneous hypertension, 332
Exacerbation of hypertension by high chloride, moderate sodium diet in the salt-sensitive spontaneously hypertensive rat, III-171
A factor that initiates myocardial hypertrophy in hypertension, 261
The gene for the atrial natriuretic factor is expressed in the aortic arch, 103
Heparin interferes with the biological effectiveness of atriopeptin, 607
High calcium diet reduces blood pressure in Dahl salt-sensitive rats by neural mechanisms, III-159
A high phosphate diet lowers blood pressure in spontaneously hypertensive rats, 96
Hypertension-induced alterations in copper and zinc metabolism in Dahl rats, 624
Impaired renorenal reflexes in spontaneously hypertensive rats, 69
Influence of blood pressure on development of aortic medial smooth muscle hypertrophy in spontaneously hypertensive rats, 178
Influence of magnesium on blood pressure and the effect of nifedipine in rats, 139
Inhibition of nuclear polyploidy by propranolol in aortic smooth muscle cells of hypertensive rats, III-106
Lymphocyte membrane sodium-proton exchange in spontaneously hypertensive rats, 282
Mechanisms of protection of the blood-brain barrier during acute hypertension in chronically hypertensive rats, III-101
Microvascular tone in a skeletal muscle of spontaneously hypertensive rats, 164
Opposite central cardiovascular effects of nifedipine and BAY k 8644 in anesthetized rats, 132
Overall hemodynamic pattern in coarctation of the abdominal aorta in conscious rats, 611
Partial characterization of a renin-releasing factor from plasma and hypothalamus, 598
Phorbol ester, vascular relaxation, and cyclic guanosine 3',5'-monophosphate, III-91
Plasma angiotensins and blood pressure during converting enzyme inhibition, III-42
Prazosin-induced alterations in renal α-adrenergic receptor function, III-125
Presence of angiotensinogen messenger RNA in various cultured cell lines, III-25
Renal nerves and the pathogenesis of angiotensin-induced hypertension, 345
Renin dependency of the effect of chronically administered atrial natriuretic factor in two-kidney, one clip rats, 88
Responsiveness of locus ceruleus neurons in hypertensive rats to vasopressin, III-110

Revised nomenclature of hypertensive rat strains, 110 (SR)
Role of renal α_2-adrenergic receptors in spontaneously hypertensive rats, 41
Role of sympathetic nervous system in hypotensive action of taurine in DOCA-salt rats, 81
Salt-induced plasma factor that inhibits platelet thromboxane A_2 release and renal prostaglandin E_2 production in rats, III-6
Sex difference in the development of deoxycorticosterone-salt hypertension in the rat, 172
Subpressor infusions of angiotensin II alter glomerular binding, prostaglandin E_2, and cyclic AMP production, III-49
Synthesis and characterization of arylamine derivatives of rauwolscine as molecular probes for α_2-adrenergic receptors, III-120
Systemic and regional hemodynamic effects of calcitonin gene–related peptide, III-142
Vascular reactivity in the spontaneously hypertensive stroke-prone rat: effect of antihypertensive treatment, 492
Vascular responsiveness to serotonin metabolites in mineralocorticoid hypertension, 277
Ventricular atriopeptin: unmasking of messenger RNA and peptide synthesis by hypertrophy or dexamethasone, 485

Rauwolscine
Role of renal α_2-adrenergic receptors in spontaneously hypertensive rats, 41
Synthesis and characterization of arylamine derivatives of rauwolscine as molecular probes for α_2-adrenergic receptors, III-120

Red blood cells
Difference between human red blood cell Na^+-Li^+ countertransport and renal Na^+-H^+ exchange, 7
Effects of diltiazem on cation transport across erythrocyte membranes of hypertensive humans, 18
Electron spin resonance studies of erythrocytes from spontaneously hypertensive rats and humans with essential hypertension, III-19
Red blood cell Li^+-Na^+ Countertransport, Na^+-K^+ cotransport, and the hemodynamics of hypertension, 459
Red blood cell Na^+,K^+-ATPase in men with newly diagnosed or previously treated essential hypertension, 437
Reduced sodium concentration and increased sodium-potassium pump activity of erythrocytes in human hypertension, III-13
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24

Renal artery stenosis
Renovascular hypertension identified by captopril-induced changes in the renogram, 451

Renal blood flow
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Evidence that prostacyclin mediates the vascular action of magnesium in humans, 379
Exaggerated renal vasodilator response to calcium entry blockade in first-degree relatives of essential hypertensive subjects, 384
Platelet activating factor vasoconstriction of dog kidney: inhibition by alprazolam, 253
Role of renal α_2-adrenergic receptors in spontaneously hypertensive rats, 41

Renal function
Water loading and restriction in essential hypertension, 407

Renal nerves
Impaired renorenal reflexes in spontaneously hypertensive rats, 69
Prazosin-induced alterations in renal α-adrenergic receptor function, III-125
Renal nerves and the pathogenesis of angiotensin-induced hypertension, 345
Role of renal α_2-adrenergic receptors in spontaneously hypertensive rats, 41

Renal perfusion pressure
Altered pressure-natriuresis relationship in young spontaneously hypertensive rats, III-130

Renal sodium-hydrogen exchange
Difference between human red blood cell Na^+-Li^+ countertransport and renal Na^+-H^+ exchange, 7

Renin (*see also* Plasma renin activity)
Comparison of a new renin inhibitor and enalaprilat in renal hypertensive dogs, 150
Effects of atrial natriuretic factor on hormone-induced renin release, 513
Inhibition of renin release by analogues of adenosine in rabbit renal cortical slices, 619

Renin-angiotensin system
Area postrema is critical for angiotensin-induced hypertension in rats, 355
Comparison of a new renin inhibitor and enalaprilat in renal hypertensive dogs, 150
Differences in pattern of plasma angiotensinogen in native and nephrectomized rats, 339
Evidence against a pressor role for vasopressin in spontaneous hypertension, 332
Left ventricular hypertrophy in hypertension: prevalence and relationship to pathophysiologic variables, II-53
Tissue-specific regulation of renin expression in the mouse, III-36

Renin-releasing factor
Partial characterization of a renin-releasing factor from plasma and hypothalamus, 598

Renorenal reflexes
Impaired renorenal reflexes in spontaneously hypertensive rats, 69

Renovascular hypertension
Comparison of a new renin inhibitor and enalaprilat in renal hypertensive dogs, 150
Preserved cardiac β-adrenergic sensitivity in early renovascular hypertension, 467
Renovascular hypertension identified by captopril-induced changes in the renogram, 451
Vascular amplifier properties in renovascular hypertension in conscious rabbits: hindquarter responses to constrictor and dilator stimuli, 122

Research
Role of animal models in hypertension research, I-2

Resistance vessels
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155

Risk factors
Blood pressure treatment includes risk factor modification, 420 (L)

Rubidium
Effects of high potassium or low sodium diet on vascular Na^+,K^+-ATPase activity and blood pressure in young spontaneously hypertensive rats, 571

S

Sabra rats
Revised nomenclature of hypertensive rat strains, 110 (SR)
Sabra hypertension-prone and hypertension-resistant rats, I-24

Salt loading
Abnormal adrenal catecholamine synthesis in salt-sensitive Dahl rats, 76

Salt-sensitive hypertension (*see also* Deoxycorticosterone-salt hypertension)
Abnormal adrenal catecholamine synthesis in salt-sensitive Dahl rats, 76
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193
Dahl salt-sensitive and salt-resistant rats, I-18
Development of inbred Dahl salt-sensitive and inbred Dahl salt-resistant rats, I-21
Exacerbation of hypertension by high chloride, moderate sodium diet in the salt-sensitive spontaneously hypertensive rat, III-171
High calcium diet reduces blood pressure in Dahl salt-sensitive rats by neural mechanisms, III-159
Hypertension-induced alterations in copper and zinc metabolism in Dahl rats, 624
Sabra hypertension-prone and hypertension-resistant rats, I-24

Saralasin
Renin dependency of the effect of chronically administered atrial natriuretic factor in two-kidney, one clip rats, 88

Serotonin
Endothelium-dependent vascular responses in normotensive and hypertensive Dahl rats, 157
Partial characterization of a renin-releasing factor from plasma and hypothalamus, 598
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155

Vascular amplifier properties in renovascular hypertension in conscious rabbits: hindquarter responses to constrictor and dilator stimuli, 122
Vascular responsiveness to serotonin metabolites in mineralocorticoid hypertension, 277
Sex differences
Considerations in the use of echocardiography in epidemiology: the Framingham Study, II-40
Effect of age, sex, and body surface area on echocardiographic left ventricular wall mass in normal subjects, II-36
Left ventricular hypertrophy in hypertension: prevalence and relationship to pathophysiologic variables, II-53
Sex difference in the development of deoxycorticosterone-salt hypertension in the rat, 172
Sheep studies
Angiotensin II receptors and angiotensin converting enzyme in the medulla oblongata, III-198
Smooth muscle (*see also* Vascular smooth muscle)
Influence of blood pressure on development of aortic medial smooth muscle hypertrophy in spontaneously hypertensive rats, 178
Socioeconomic status
Educational level and 5-year all-cause mortality in the Hypertension Detection and Follow-up Program, 641
Sodium
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193
Cataracts and hypertension in salt-sensitive rats: a possible ion transport defect, 304
Changes in hemodynamics and myocardial contractility during chronic sodium depletion in conscious dogs, III-176
Cytochemically assayable Na^+,K^+-ATPase inhibition by Milan hypertensive rat plasma, 498
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Exacerbation of hypertension by high chloride, moderate sodium diet in the salt-sensitive spontaneously hypertensive rat, III-171
Hemodynamic characteristics of sodium-sensitive human subjects, 398
Intracellular calcium and sodium in hypertensive patients, 224
Lymphocyte membrane sodium-proton exchange in spontaneously hypertensive rats, 282
Neurohumoral and hemodynamic responses to dietary calcium supplementation in deoxycorticosterone-salt hypertensive dogs, III-166
Red blood cell Na^+,K^+-ATPase in men with newly diagnosed or previously treated essential hypertension, 437
The relationship between cations and blood pressure in the People's Republic of China, 654
Role of angiotensin II in the hormonal, renal, and electrolyte response to sodium restriction, 289
Tissue-specific regulation of renin expression in the mouse, III-36
Sodium chloride
Hypertension-induced alterations in copper and zinc metabolism in Dahl rats, 624
Sodium excretion
Altered pressure-natriuresis relationship in young spontaneously hypertensive rats, III-130
Sodium intake
Endothelium-dependent vascular responses in normotensive and hypertensive Dahl rats, 157
Salt-induced plasma factor that inhibits platelet thromboxane A_2 release and renal prostaglandin E_2 production in rats, III-6
Sodium-potassium ATPase
Cytochemically assayable Na^+,K^+-ATPase inhibition by Milan hypertensive rat plasma, 498
Effects of diltiazem on cation transport across erythrocyte membranes of hypertensive humans, 18
Effects of high potassium or low sodium diet on vascular Na^+,K^+-ATPase activity and blood pressure in young spontaneously hypertensive rats, 571
Red blood cell Na^+,K^+-ATPase in men with newly diagnosed or previously treated essential hypertension, 437
The search for a hypothalamic Na^+,K^+-ATPase inhibitor, 315 (BR)
Sodium-potassium pump
Reduced electrogenic sodium-potassium pump in arterioles during renovascular hypertension, III-86
Reduced sodium concentration and increased sodium-potassium pump activity of erythrocytes in human hypertension, III-13
Sodium transport
Difference between human red blood cell Na^+-Li^+ countertransport and renal Na^+-H^+ exchange, 7
Effect of cold pressor test–induced stress on leukocyte sodium transport and norepinephrine, 13
Effects of diltiazem on cation transport across erythrocyte membranes of hypertensive humans, 18
Red blood cell Li^+-Na^+ Countertransport, Na^+-K^+ cotransport, and the hemodynamics of hypertension, 459
The search for a hypothalamic Na^+,K^+-ATPase inhibitor, 315 (BR)
Sodium-lithium countertransport in ambulatory hypertensive and normotensive patients, 24
Special reports
Revised nomenclature of hypertensive rat strains, 110 (SR)
Spontaneously hypertensive rats
Altered pressure-natriuresis relationship in young spontaneously hypertensive rats, III-130
Cardiovascular responses to acute stress in young-to-old spontaneously hypertensive rats, 362
Cell and wall morphology of intestinal arterioles from 4- to 6- and 17- to 19-week-old Wistar-Kyoto and spontaneously hypertensive rats, 59
Central α_2-adrenergic stimulation increases neurointermediate lobe immunoreactive β-endorphin in spontaneously hypertensive rats, 566
Differences in pattern of plasma angiotensinogen in native and nephrectomized rats, 339
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Effects of high potassium or low sodium diet on vascular Na^+,K^+-ATPase activity and blood pressure in young spontaneously hypertensive rats, 571
Electron spin resonance studies of erythrocytes from spontaneously hypertensive rats and humans with essential hypertension, III-19
Enhanced cerebral vascular regulation occurs by age 4 to 5 weeks in spontaneously hypertensive rats, 325
Evidence against a pressor role for vasopressin in spontaneous hypertension, 332
Exacerbation of hypertension by high chloride, moderate sodium diet in the salt-sensitive spontaneously hypertensive rat, III-171
A high phosphate diet lowers blood pressure in spontaneously hypertensive rats, 96
Impaired renorenal reflexes in spontaneously hypertensive rats, 69
Influence of blood pressure on development of aortic medial smooth muscle hypertrophy in spontaneously hypertensive rats, 178
Influence of magnesium on blood pressure and the effect of nifedipine in rats, 139
Lymphocyte membrane sodium-proton exchange in spontaneously hypertensive rats, 282
Management of a spontaneously hypertensive rat breeding colony, I-8
Microvascular tone in a skeletal muscle of spontaneously hypertensive rats, 164
Opposite central cardiovascular effects of nifedipine and BAY k 8644 in anesthetized rats, 132
Revised nomenclature of hypertensive rat strains, 110 (SR)
Role of animal models in hypertension research, I-2
Role of renal α_2-adrenergic receptors in spontaneously hypertensive rats, 41
Spontaneously hypertensive rats, I-13
Techniques for the measurement of blood pressure (rats), I-5
Stress
Alerting reaction and rise in blood pressure during measurement by physician and nurse, 209
Cardiovascular responses to acute stress in young-to-old spontaneously hypertensive rats, 362
Dissociation of sympathetic nerve activity in arm and leg muscle during mental stress, III-114
Effect of cold pressor test–induced stress on leukocyte sodium transport and norepinephrine, 13
Increased vasodilator responses to acetylcholine in psychosocial hypertensive mice, 268
Stroke-prone spontaneously hypertensive rats
Enhanced vascular reactivity to protein kinase C activators in genetically hypertensive rats, III-150

Mechanisms of protection of the blood-brain barrier during acute hypertension in chronically hypertensive rats, III-101
A new strain of hypertensive rats with a genetic defect for vasopressin synthesis, I-37
Revised nomenclature of hypertensive rat strains, 110 (SR)
Vascular reactivity in the spontaneously hypertensive stroke-prone rat: effect of antihypertensive treatment, 492

Sympathetic nervous system
Direct augmentation by cyclosporin A of the vascular contractile response to nerve stimulation, III-96
Dissociation of sympathetic nerve activity in arm and leg muscle during mental stress, III-114
Effects of the cold pressor test on muscle sympathetic nerve activity in humans, 429
High calcium diet reduces blood pressure in Dahl salt-sensitive rats by neural mechanisms, III-159
Impaired responses of sympathetic nerves to cardiac receptor stimulation in hypertension, 478
Inhibition of sympathoadrenal activity by atrial natriuretic factor in dogs, 350
Paroxysmal hypertension due to sinoaortic baroreceptor denervation in humans, 309 (CR)
Plasma norepinephrine and age as determinants of systemic hemodynamics in men with established essential hypertension, 415
Preserved cardiac β-adrenergic sensitivity in early renovascular hypertension, 467
Role of sympathetic nervous system in hypotensive action of taurine in DOCA-salt rats, 81
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155

T

Taurine
Role of sympathetic nervous system in hypotensive action of taurine in DOCA-salt rats, 81

Teprotide
Evidence against a pressor role for vasopressin in spontaneous hypertension, 332

Three-dimensional echocardiography
Recommendations concerning use of echocardiography in hypertension and general population research, II-97

Thrombin
Antihypertensive treatment normalizes decreased endothelium-dependent relaxations in rats with salt-induced hypertension, III-193
Increased basal and thrombin-induced free calcium in platelets of essential hypertensive patients, 230

Thromboxane
Salt-induced plasma factor that inhibits platelet thromboxane A_2 release and renal prostaglandin E_2 production in rats, III-6

Two-dimensional echocardiography
Considerations in the standardization of measurement of left ventricular myocardial mass by two-dimensional echocardiography, II-33
Geometric considerations in determination of left ventricular mass by two-dimensional echocardiography, II-85
Reproducibility of echocardiographic left ventricular measurements, II-6
Standardization in the measurement of left ventricular wall mass: two-dimensional echocardiography, II-30

V

Vascular reactivity
Conversion of B_1 kinin receptor–mediated vascular relaxation to contraction, III-1
Decreased density of vascular receptors for atrial natriuretic peptide in DOCA-salt hypertensive rats, 504
Differential pressor and renal vascular reactivity to angiotensin II in spontaneously hypertensive and Wistar-Kyoto rats, 591
Direct augmentation by cyclosporin A of the vascular contractile response to nerve stimulation, III-96
Enhanced vascular reactivity to protein kinase C activators in genetically hypertensive rats, III-150
Phorbol ester, vascular relaxation, and cyclic guanosine 3',5'-monophosphate, III-91
Vascular amplifier properties in renovascular hypertension in conscious rabbits: hindquarter responses to constrictor and dilator stimuli, 122
Vascular reactivity in the spontaneously hypertensive stroke-prone rat: effect of antihypertensive treatment, 492
Vascular responsiveness to serotonin metabolites in mineralocorticoid hypertension, 277

Vascular resistance
Analysis of the cardiovascular effects of arginine vasopressin in conscious dogs, 371
Hemodynamic characteristics of sodium-sensitive human subjects, 398
Red blood cell Li^+-Na^+ Countertransport, Na^+-K^+ cotransport, and the hemodynamics of hypertension, 459

Vascular smooth muscle
Angiotensin II stimulation of vascular smooth muscle phosphoinositide metabolism: state of the art lecture, III-181
Cell and wall morphology of intestinal arterioles from 4- to 6- and 17- to 19-week-old Wistar-Kyoto and spontaneously hypertensive rats, 59
Endothelium-derived relaxing factor in cultured cells, III-186
Enhanced vascular reactivity to protein kinase C activators in genetically hypertensive rats, III-150
Increased vasodilator responses to acetylcholine in psychosocial hypertensive mice, 268
Inhibition of nuclear polyploidy by propranolol in aortic smooth muscle cells of hypertensive rats, III-106
Reduced electrogenic sodium-potassium pump in arterioles during renovascular hypertension, III-86

Vascular tone
Effects of high potassium or low sodium diet on vascular Na^+,K^+-ATPase activity and blood pressure in young spontaneously hypertensive rats, 571
Microvascular tone in a skeletal muscle of spontaneously hypertensive rats, 164
Role of α_1- and α_2-adrenergic receptors in the human hypertensive kidney, III-210

Vasoconstriction
Platelet activating factor vasoconstriction of dog kidney: inhibition by alprazolam, 253
Prazosin-induced alterations in renal α-adrenergic receptor function, III-125

Vasodilators
Contribution of bradykinin to maintenance of normal blood pressure, III-147
Conversion of B_1 kinin receptor–mediated vascular relaxation to contraction, III-1
Increased vasodilator responses to acetylcholine in psychosocial hypertensive mice, 268
Phorbol ester, vascular relaxation, and cyclic guanosine 3',5'-monophosphate, III-91
Systemic and regional hemodynamic effects of calcitonin gene–related peptide, III-142

Vasopressin (*see also* Arginine vasopressin)
Evidence against a pressor role for vasopressin in spontaneous hypertension, 332
Renal α_2-adrenergic receptors and hypertension, 3 (E)
Responsiveness of locus ceruleus neurons in hypertensive rats to vasopressin, III-110
Sex difference in the development of deoxycorticosterone-salt hypertension in the rat, 172
Studies of isolated resistance vessels from offspring of essential hypertensive patients, III-155
Water loading and restriction in essential hypertension, 407

Ventricular hypertrophy (*see also* Cardiac hypertrophy)
Application of echocardiography to population-based research projects, II-45
Cost-effectiveness of echocardiography and electrocardiography for detection of left ventricular hypertrophy in patients with systemic hypertension, II-69
Detection of left ventricular hypertrophy by M-mode echocardiography: anatomic validation, standardization, and comparison to other methods, II-19

Disparate relationships between blood pressure and left ventricular mass in patients with and without left ventricular hypertrophy, II-61
Echocardiographic assessment of left ventricular diastolic performance in hypertensive subjects: correlation with changes in left ventricular mass, II-81
Echocardiographic studies of regression of left ventricular hypertrophy in hypertension, II-65
Future directions in the use of echocardiography, II-77
Hypertension research: echocardiography in the measurement of left ventricular wall mass, II-2
Left ventricular hypertrophy in hypertension: prevalence and relationship to pathophysiologic variables, II-53
Recommendations concerning use of echocardiography in hypertension and general population research, II-97

Ventricular measurements
Reproducibility of echocardiographic left ventricular measurements, II-6
Standardization in the measurement of left ventricular wall mass: M-mode echocardiography, II-27
Standardization in the measurement of left ventricular wall mass: two-dimensional echocardiography, II-30

Ventricular wall mass
Considerations in the standardization of measurement of left ventricular myocardial mass by two-dimensional echocardiography, II-33
Detection of left ventricular hypertrophy by M-mode echocardiography: anatomic validation, standardization, and comparison to other methods, II-19
Disparate relationships between blood pressure and left ventricular mass in patients with and without left ventricular hypertrophy, II-61
Echocardiographic assessment of left ventricular diastolic performance in hypertensive subjects: correlation with changes in left ventricular mass, II-81
Effect of age, sex, and body surface area on echocardiographic left ventricular wall mass in normal subjects, II-36
Geometric considerations in determination of left ventricular mass by two-dimensional echocardiography, II-85
Hypertension research: echocardiography in the measurement of left ventricular wall mass, II-2
Measurement of left ventricular wall mass in pediatric populations, II-47
Standardization in the measurement of left ventricular wall mass: M-mode echocardiography, II-27
Standardization in the measurement of left ventricular wall mass: two-dimensional echocardiography, II-30

W

Water loading
Water loading and restriction in essential hypertension, 407

Y

Yohimbine
Central α_2-adrenergic stimulation increases neurointermediate lobe immunoreactive β-endorphin in spontaneously hypertensive rats, 566
Prazosin-induced alterations in renal α-adrenergic receptor function, III-125
Renal α_2-adrenergic receptors and hypertension, 3 (E)
Role of α_1- and α_2-adrenergic receptors in the human hypertensive kidney, III-210

Z

Zinc
Hypertension-induced alterations in copper and zinc metabolism in Dahl rats, 624